

hardware catalog

DISSTON

SAWS
RULES
POWER and HAND TOOLS

DISSTON DIVISION

PORTER

H.K. PORTER COMPANY INC.

Index

FARMore Gate Kits	23
Files and Rasps	18
Hack Saw Frames and Blades	7, 8, 9
Hand Saws	1, 2
Special Purpose Saws	3, 4, 5
Compass, Keyhole, Nest	5, 6, 7
Electric Hedge Trimmer	21
Disschrome Circular Saw Blades	13, 14, 15, 16
Electric Hand Saws	17
Refitting Tools	12, 13
Steel Tape Rules	19, 20, 21, 22
Trowels	9, 10, 11

DISSTON DIVISION



H.K. PORTER COMPANY INC.

DISSTON HAND SAWS



D-95 DISSTON LIGHTWEIGHT STRAIGHT-BACK HAND SAW


Disston's finest hand saw . . . streamlined for beauty, action, service!

BLADE, made of the finest steel, thin back, perfectly ground by an exclusive process. Tooth edge same gauge throughout. Blade tapers evenly from butt to point and from tooth edge to back. Blade set, filed and highly polished.

HANDLE, cover-top walnut wood, beautifully carved with 5 chrome-plated screws, one a medallion. Weatherproofed finish, large comfortable hand hole.

Length	Points to inch cross-cut	Points to inch rip	Weight per doz.
26"	8, 10, 11, 12	5½	22 lbs.

Packed 1/6 doz. in corrugated box.
Width of 26" blade: butt 6"; point 1½".



D-23 DISSTON LIGHTWEIGHT STRAIGHT-BACK HAND SAW

Disston's fastest selling lightweight, straight-back hand saw.

BLADE, thin back, true taper ground, tapers evenly from butt to point and from tooth edge to back. Made of finest steel, hardened, tempered, highly polished, striped back. Tooth edge same gauge throughout.

HANDLE, cover-top hardwood; fully carved, large hand hole, Disston weatherproofed natural finish. 5 nickel-plated screws in 26" length, 4 in 24" length & shorter, one a medallion.

Length	Points to inch cross-cut	Points to inch rip	Weight per doz.
16"	11		10½ lbs.
20"	10		14 lbs.
24"	8, 10		18 lbs.
26"	7, 8, 9, 10, 11, 12	5½	22 lbs.

Packed 1/6 doz. in corrugated box.
Width of blade: butt 6"; point 1½"; other lengths in proportion.



D-8 DISSTON MEDIUM WEIGHT SKEW-BACK HAND SAW

The original skew-back saw patented by Disston in 1874.

BLADE, thin back, true taper ground by an exclusive process. Tooth edge same gauge throughout. Blade of hardened, tempered steel, highly polished, striped back, tapers evenly from butt to point and from tooth edge to back.

HANDLE, cover-top hardwood; weatherproofed natural finish. 5 nickel-plated screws in 26" length, 4 in 24" length & shorter, one a medallion.

Length	Points to inch cross-cut	Points to inch rip	Weight per doz.
20"	10		14¾ lbs.
22"	10		15½ lbs.
26"	8, 10	5½	22¾ lbs.

Packed 1/6 dozen in box.
Width of 26" blade: butt 6¾"; point 2⅛"; other lengths in proportion.



D-7 DISSTON LIGHTWEIGHT STRAIGHT-BACK HAND SAW

Made by Disston since 1840. The original straight-back pattern saw.

BLADE, made of hardened, tempered steel, polished, striped back, true taper ground by an exclusive process. Tooth edge same gauge throughout; blade evenly ground from butt to point and from tooth edge to back. A smooth, easy-cutting saw.

HANDLE, cover-top, pressure welded, waterproof laminated wood comfortable grip; weatherproofed natural finish; 4 nickel-plated screws, one a medallion.

Length	Points to inch cross-cut	Points to inch rip	Weight per doz.
26"	8, 10	5½	22 lbs.

Packed 1/6 dozen in box.
Width of 26" blade: butt 6"; point 1½".



M-1 METROPOLITAN HAND SAW

A fine competitive hand saw. Taper ground, polished and full bevel filed. Carved hardwood handle; 5 nickel-plated screws, one a medallion.

Length	Points Cross-Cut	Weight per 10 saws
26"	8, 10	18 lbs.

Packed two saws in corrugated shipping container;
10 saws (5 cartons of 2) per outer corrugated shipping container.



R-1 RANCHER HAND SAW

A high quality serviceable saw for home workshop and household.

HANDLE, natural hardwood, carved hand grip and boss; 4 nickel-plated screws, one a medallion.

Length	Points Cross-Cut	Points Rip	Weight per 10 saws
26"	8, 10	5½	18 lbs.
20"	10		11½ lbs.

Packed two saws in corrugated shipping container;
10 saws (5 cartons of 2) per outer corrugated shipping container.



C-1 COUNTRYSIDE HAND SAW

A good quality competitive saw for every day use around farm and home.

BLADE, hardened, tempered, set and filed.

HANDLE, hardwood, carved on grip; 4 nickel-plated screws, one a medallion.

Length	Points Cross-Cut	Points Rip	Weight per 10 saws
26"	8		18 lbs.
20"	10		11½ lbs.
16"	10		8¾ lbs.

Packed two saws in corrugated shipping container;
10 saws (5 cartons of 2) per outer corrugated shipping container.

DISSTON HAND SAWS




T-1 TOWNSMAN HAND SAW

Low priced Disston hand saw.

BLADE, hardened, tempered and polished. Accurately set.
HANDLE, hardwood handle; 4 nickel-plated screws, one a medallion.

Length	Points Cross-Cut	Weight per 10 saws
26"	8	18 lbs.

Packed five saws per corrugated shipping container; 10 saws (2 cartons of 5) per outer corrugated shipping container.



**NO. 240 DISSTON METAL CUTTING
HAND SAW**

A metal cutting saw made with high quality steel for cutting non-ferrous metal.

BLADE, thin back, true taper ground. Teeth are milled, not punched, for greater accuracy, and may be resharpened.

HANDLE, hardwood, large hand hole, comfortable grip, carved, weatherproofed natural finish. 3 nickel-plated screws, one a medallion.

Length	Points to inch	Width at Butt	Width at Point	Weight per doz.
20"	15	5½"	1½"	20 lbs.

Packed 1/6 dozen in box.



CHALLENGER HAND SAW


A low priced Disston hand saw.

BLADE, special saw steel, hardened, tempered, ground and polished. Teeth precisely set.

HANDLE, perfectly balanced heavy-duty black plastic handle. 3 nickel-plated screws, one a medallion.

Length	Points to inch cross-cut	Weight per 10 saws
20"	10	10 lbs.
26"	8	14 lbs.

Packed 10 saws in corrugated shipping container.



NO. 66 DISSTON HAND SAW HANDLE


Hardwood; weatherproofed natural finish, slit only, not bored. Large hand hole with comfortable grip.

Packed 1 dozen in box.
Weight per dozen—6¾ lbs.

**DISSTON
HAND SAW
MERCHANTISER**

At the approximate cost of only two saw sales, you get this handsome Disston display unit.

As a bonus, you also receive 1 D23 26 x 8 pt. Hand Saw and 1 C1 (Countryside) 26 x 8 pt.



The D57 Saw Assortment

1 D8 26 x 8 pt. Hand Saw	1 D23 24 x 10 pt. Hand Saw
2 D23 26 x 8 pt. Hand Saw	1 M1 26 x 8 pt. Hand Saw
1 D23 26 x 10 pt. Hand Saw	1 R1 26 x 8 pt. Hand Saw
1 D95 26 x 8 pt. Hand Saw	1 T1 26 x 8 pt. Hand Saw
1 D23 26 x 5½ pt. Rip Saw	

SAW SCREWS

Saw screws have strong heads, deeply-cut thread; polished. Medallion heads are stamped DISSTON, U. S. A.

Screw	Finish	Diam. Head	Style Head	Weight per doz.
No. 1	Nickel Plated	½"	Plain	4 ozs.
No. 3	Nickel Plated	1¾"	Medal- lion	6 ozs.

Packed 1 dozen in box.


HAND SAW HANDLES

Handles	Size	Handles	Size
D-95	26"	D-7	26"
D-23	26"	M-1	26"
D-23	24"	R-1	26"
D-23	20"	R-1	20"
D-8	26"	C-1	26"
D-8	24"	C-1	20"
D-8	22"	C-1	16"
D-8	20"	T-1	26"

Packed 1/3 dozen in box.

SPECIAL PURPOSE HAND SAWS

BACK SAWS



NO. 4 DISSTON BACK SAW

Extra heavy, bright steel back to give greater stiffness to the blade and help hold the saw in the cut.

BLADE, hardened, tempered steel; bevel filed teeth for cutting across or diagonally to the grain. Blade and back extend well into handle to insure better control.

HANDLE, beechwood weatherproofed natural finish, comfortable grip, nickel-plated screws.

Length	Width under back	Points to inch	Screws	Weight per doz.
12"	3 1/2"	13	3	19 lbs.
14"	3 1/2"	13	3	22 lbs.

Packed 1/3 dozen in box.



K-1 DISSTON BACK SAW

BLADE, special steel, supported by a stiff, bright steel back.

HANDLE, hardwood, weatherproofed natural finish; 3 nickel-plated screws.

Length	Width under back	Points to inch	Screws	Weight per doz.
12"	3 1/2"	13	3	13 1/4 lbs.
14"	3 1/2"	13	3	17 lbs.

Packed 1/3 dozen in box.

MITRE BOX SAWS



NO. 4 MITRE BOX SAW

The best mitreing saw made. All lengths and widths 11 points. Blade rests deep in handle which with stiff back helps support blade and assures smooth, accurate cut.

BLADE, alloy steel; polished; heavy steel back.

HANDLE, hardwood, weatherproofed natural finish; nickel-plated screws.

Length	Width under back	Screws	Weight per doz.
22"	4"	4	42 lbs.
24"	4"	4	45 lbs.
26"	4"	4	50 lbs.
28"	5"	4	54 lbs.
30"	6"	4	60 lbs.

Packed 1/12 dozen in box.

NO. 10 & 15 COPING SAW BLADES (Pin-End)

The Disston #10 and #15 Copping Saw Blades (Pin-End) are made of spring saw steel. Bright blade, hardened and tempered, teeth filed and set. A strong, durable blade, 15 points to the inch. Fits #10 and #15 Copping Saw Frames respectively.

Length	Width	Thickness	Weight per Gross
6 3/8"	1/8"	.020	10 ozs.

Packed 1 dozen in envelope; 1 gross in box.

DOVETAIL SAWS



NO. 68 DOVETAIL SAW

The dovetail saw has a round handle on straight line with the back of the saw; used for tenoning, dovetailing, ship-model building, toy-making, cog-cutting, etc.


BLADE, 25 gauge steel; 15 points to the inch; polished back.

HANDLE, hardwood, weatherproofed natural finish; heavy nickel-plated ferrule.

Length	Width under back	Weight per doz.
10"	1 5/8"	7 1/2 lbs.

Packed 1/6 dozen in box.

COPING SAWS



NO. 10 DISSTON COPING SAW

Cuts curves, sharp angles with ease. Stretchers with pin measuring 3/4" long in each for turning blade to angle desired.


BLADE, spring saw steel, bright blade hardened and tempered, teeth filed and set. 15 points to the inch.

FRAME, 3/8" wide, 7/32" thick steel, 4 3/4" deep from tooth edge to inside of back. Bright nickel-plated.

HANDLE, hardwood, weatherproofed natural finish, reinforced with ferrule. Square nut in handle engages threaded end of stretcher. By turning handle blade is strained.

Length	Depth of Frame	Weight per doz.
6 3/8"	4 3/4"	7 1/2 lbs.

Packed 1/2 dozen in box.



NO. 15 DISSTON COPING SAW

BLADE, spring saw steel, bright blade hardened and tempered, teeth filed and set. 15 points to the inch.

FRAME, 3/8" wide, 7/32" thick steel, 6 3/4" deep from tooth edge to inside of back. Bright nickel-plated.

HANDLE, hardwood, weatherproofed natural finish, reinforced with strong nickel-plated steel ferrule. Blade is tensioned by turning handle.

Length	Depth of Frame	Weight per doz.
6 3/8"	6 3/4"	8 lbs.

Packed 1/2 dozen in box.

SPECIAL PURPOSE HAND SAWS

PLUMBER'S SAW



NO. 10 DISSTON PLUMBER'S SAW

Specially tempered to cut joists, rafters, flooring, etc., in which nails are embedded.


BLADE, specially tempered; ground and polished; 12 points to the in.

HANDLE, weatherproofed; 3 nickel-plated screws.

Length	Width at Butt	Width at Point	Weight per doz.
18"	3 1/2"	1 3/4"	11 lbs.

Packed 1/2 dozen in box.

BUTCHER SAWS



K-070 BUTCHER SAW

Sturdy, moderately priced butcher's saw. Special steel frame, flat $\frac{3}{4}$ x $\frac{1}{4}$ round edges, $5\frac{1}{8}$ " from tooth edge of blade to inside of back.

BLADE, $\frac{3}{4}$ " wide, 11 points to the inch.

HANDLE, hardwood, weatherproofed finish; 3 nickel-plated rivets, wing nut adjustment makes removal replacement and straining of blade easy.

Length	Weight per doz.
18"	24 lbs.
20"	25 lbs.
22"	27 lbs.
24"	28 lbs.

Packed 1/3 dozen in box.
Handles packed 1/3 dozen in box.

NO. 125 BUTCHER'S SAW BLADES

Made of hardened, tempered steel, set and sharpened, bright finish, No. 125 are not punched. If blades are wanted with holes punched, give length from center to center of holes.

Length	Width	Weight per doz.
18"	1 1/8"	1 1/8 lbs.
18"	5/8"	1 1/8 lbs.
18"	3/4"	1 1/8 lbs.
20"	1 1/2"	1 1/4 lbs.
20"	5/8"	1 1/4 lbs.
20"	3/4"	1 1/4 lbs.
22"	1 1/2"	1 1/8 lbs.
22"	5/8"	1 1/8 lbs.
24"	1 1/2"	1 1/2 lbs.
24"	5/8"	1 1/2 lbs.
24"	3/4"	1 1/2 lbs.
26"	*5/8"	1 5/8 lbs.
26"	*3/4"	1 5/8 lbs.

Packed 1 dozen in bundle.

*Available in $\frac{5}{8}$ " & $\frac{3}{4}$ " only.

NO. 50 BUTCHER SAW BLADE (in coils)

Disston's No. 50 butcher saw blades (in coils) are made from special steel for hand frame use. Hardened and tempered, set and sharpened; bright finish only.

Length	Width	Weight per box
25 ft	3/8"	1 lb.
50 ft	3/8"	2 lbs.
25 ft	1/2"	1 1/4 lbs.
50 ft	1/2"	2 1/2 lbs.
25 ft	5/8"	1 1/2 lbs.
50 ft	5/8"	3 lbs.
25 ft	3/4"	1 3/4 lbs.
50 ft	3/4"	3 1/2 lbs.

Packed in boxes of 25 or 50 ft.


NO. 55 BUTCHER SAW BLADE (in coils)

Disston's No. 55 butcher saw blades (in coils) are made from special steel for use in hand frames; teeth set ready for use. Bright finish only. Made only in following sizes.

Length	Width	Weight per box
25 ft	5/8"	1 1/2 lbs.
50 ft	5/8"	3 lbs.
25 ft	3/4"	1 3/4 lbs.
50 ft	3/4"	3 1/2 lbs.

Packed in boxes of 25 or 50 ft.

NO. 16 DISSTON KITCHEN SAW




NO. 16 KITCHEN SAW

An all-purpose kitchen saw that will out perform all others. Sturdy—yet, light. It has a strong steel nickel-plated frame and a colorful plastic handle. Over-all length is 19". 3 $\frac{3}{4}$ " deep from inside back to tooth edge of blade. Handle is attached to frame by two nickel-plated screws. Blade $\frac{1}{2}$ " wide, 11 points to the inch. Wing nut adjustment.

Length	Weight of ten
14"	10 lbs.

Packed 1 saw in box; ten boxes in a corrugated shipping carton.
Extra blades packed 10 in a bundle.



NO. 2 BUTCHER SAW BLADE PUNCH

The Disston No. 2 Saw Punch for butcher blades has a malleable iron frame and hardened tool steel punch and die. Hole 11/16" in diameter is easily punched.

Packed 1 in box.
Weight— $\frac{1}{2}$ lb. each.

COMPASS, KEYHOLE, AND NESTS OF SAWS



NO. 2 DISSTON COMPASS SAW

The Disston No. 2 Compass Saw is made to stand the strain of cutting curves.

BLADE, polished, hardened and tempered steel; tapers to a sharp point; toothed to the point for easy sawing in small holes and for cutting sharp curves; special shaped teeth, 10 points, set and bevel filed for fast, easy cutting.

HANDLE, hardwood, weatherproofed natural finish; comfortable open grip; 2 nickel-plated screws.

Length	Weight per doz.
12"	6 lbs.

Packed $\frac{1}{2}$ dozen in box.
Blades packed 1 dozen in box.
Handles packed $\frac{1}{3}$ dozen in box.



NO. 8 PLUMBER'S COMPASS SAW


The Disston No. 8 Plumber's Compass saw is made for rough, heavy work.

BLADE, special steel blade; hardened, tempered, ground and polished; 8 points to the inch. Butt of blade is slotted with hole in front of slot, which rigidly secures blade in either regular or reverse position.

HANDLE, square-top hardwood; comfortable open grip; weatherproofed natural finish; nickel-plated bolt and wing nut.

Length	Weight per doz.
12"	7 lbs.

Packed $\frac{1}{2}$ dozen in box.
Blades packed 1 dozen in box.



NO. 4 DISSTON COMPASS SAW

The Disston No. 4 Compass Saw has a square top handle permitting blades to be used in regular or reverse position in close quarters. Blades are interchangeable; the same handle will take a 12 or 14-inch blade.

BLADE, polished, hardened and tempered steel; tapers to a sharp point; toothed to the point for easy sawing in small holes and for cutting sharp curves; blade holed and slotted for easy changing. Blade held securely with wing nut and bolt.

HANDLE, square-top hardwood handle comfortable open grip; weatherproofed natural finish; nickel-plated bolt and wing nut.

Length	Weight per doz.
12"	6 lbs.
14"	6 $\frac{1}{2}$ lbs.

Packed $\frac{1}{3}$ dozen in box.
Not assembled.
Blades packed 1 dozen in box.
Handles packed $\frac{1}{3}$ dozen in box.

COMPASS, KEYHOLE, AND NESTS OF SAWS



K-302 DISSTON COMPASS SAW

K-302 compass saw is made of special steel, hardened, tempered and polished; toothed 8 points to inch; set and filed.

HANDLE, square-top hardwood; weatherproofed natural finish and comfortable open grip; 2 nickel-plated screws.

Length	Weight per doz.
12"	5½ lbs.

Packed ½ dozen in box.
Blades packed 1 dozen in box.



K-304 DISSTON COMPASS SAW

BLADE, made of special steel, hardened, tempered and polished; toothed 8 points to inch; set and filed; blade holed and slotted for easy changing; blade held securely with wing nut and bolt.

HANDLE, hardwood, comfortable open grip; weatherproofed natural finish. Nickel-plated bolt and wing nut.

Length	Weight per doz.
12"	6 lbs.
14"	6½ lbs.

Packed ½ dozen in box.
Not assembled.
Blades packed 1 dozen in box.
Handles packed ½ dozen in box.



NO. 402 COMPASS SAW

BLADE, made of special steel, hardened, tempered; 8 points to inch.

HANDLE, hardwood; weatherproofed natural finish; 2 rivets.

Length	Weight per doz.
12"	5½ lbs.


Packed ½ dozen in box.

NO. 101 DISSTON NEST OF SAWS

Three interchangeable blades—wood cutting, fine tooth metal-cutting and coarser tooth metal or wood cutting—can be locked securely in any of 8 positions. Strong plastic handle. Ideal for cutting curves and circles.

Blades	Teeth per inch	For Cutting
101-MC	10	Wood, metal, plastic, and bone
101-M	24	Metal, plastic, and bone
101-W	8	Wood, masonite, and fibreboard

Three blades & handle mounted on display card.
Packed ½ dozen in box.



NO. 12 KEYHOLE SAW

The No. 12 Keyhole Saw is made of special steel, 10 points to the inch.

HANDLE, open-grip hardwood; weatherproofed natural finish. 2 nickel-plated rivets.

Length	Weight per doz.
10"	3½ lbs.

Packed ½ dozen in box.

KEYHOLE SAWS



NO. 15 DISSTON KEYHOLE SAW


The Disston No. 15 Keyhole Saw is the tool for cutting keyholes, frets and other close inside work.

BLADE, tapered to a sharp point; 10 points to the inch. Set and bevel filed for fast easy cutting.


HANDLE, hardwood; open grip; weatherproofed natural finish; comfortable grip; 2 nickel-plated screws.

Length	Weight per doz.
10"	3½ lbs.
12"	3¾ lbs.

Packed ½ dozen in box.



NESTS OF SAWS



NO. 7 DISSTON NEST OF SAWS

The Disston No. 7 Nest of Saws consists of 3 blades and 1 handle. Each blade is made for a special purpose—one for key-hole work, another for compass saw work and a third is especially tempered for cutting nails embedded in wood and lead pipe.

BLADES, hardened, tempered, ground and polished, slotted to receive tightening bolt in handle.

HANDLE, hardwood; weatherproofed natural finish; nickel-plated bolt and wing nut, permitting quick adjustment and replacement of blades. Square top permits reversing blade for work in close quarters.

	Length	Points to inch	Weight per doz.
Keyhole Blade	10"	10	1 lb.
Compass Blade	14"	10	2 lbs.
Nail Cutting	14"	13	2 lbs.
Handle			4 lbs.
No. 7 Complete			9 lbs.

Packed 1/3 dozen in box.
Handles packed 1/3 dozen in box.



NO. 60 DISSTON NEST OF SAWS

The Disston No. 60 Nest of Saws is a combination of 3 blades and 1 handle.

BLADES, hardened, tempered, ground and polished, slotted to receive tightening bolt in handle.

HANDLE, hardwood; weatherproofed natural finish, with nickel-plated bolt and wing nut for quick replacement of blades. Square top permits reversing blade for work in close quarters.

	Length	Points to inch	Weight per doz.
Keyhole Blade	10"	10	1 lb.
Compass Blade	14"	10	2 lbs.
Plumber's Blade	18"	15	4 lbs.
Handle			4 lbs.
No. 60 Complete			11 lbs.

Packed 1/3 dozen in box.
Handles packed 1/3 dozen in box.



K-300 DISSTON NEST OF SAWS


K-300 Nest of Saws comprises 3 blades and 1 handle—one blade for cutting keyholes and close corners; a compass blade for cutting curves and holes in wood; and a pruning saw blade. Hardwood handle; weatherproofed natural finish; nickel-plated bolt and wing nut.

	Length	Points to inch	Weight per doz.
Keyhole Blade	10"	10	1 lb.
Compass Blade	14"	8	2 lbs.
Pruning Blade	16"	8	3 lbs.
Handle			4 lbs.
K-300 Complete			10 lbs.

Packed 1/3 dozen in box.
Handles packed 1/3 dozen in box.

HACK SAW FRAMES

(Hand)




NO. 368 DISSTON HACK SAW FRAME

The Disston No. 368 Hack Saw Frame is sturdy, gleaming nickel-plated steel, with steel handle faced with black plastic. Adjustable to 12, 10 or 8-inch blades, and four cutting positions. Wing nut adjustment locks blade in position. A Disston Duraflex blade is supplied with each of these frames.

Weight each, 2 1/4 lbs.

Packed 1 in box; 10 in shipping carton.




NO. 348 DISSTON HACK SAW FRAME

The Disston No. 348 Hack Saw Frame is a well designed, sturdy frame for those interested in a moderate priced saw. Bright nickel-plated steel—black plastic pistol grip handle. Adjustable to 8, 10 or 12-inch blades and four cutting positions. Wing nut adjustment.

Weight each, 1 1/2 lbs.

Packed 1 in box; 30 in shipping carton.




NO. 338 DISSTON HACK SAW FRAME

A good, all purpose steel frame, with nickel-plated finish. Adjustable to 8, 10 or 12-inch blades, and four cutting positions. Wing nut adjustment. Handle is sturdy, black plastic, pistol grip style.

Weight each, 1 1/3 lbs.

Packed 1 in box; 30 in shipping carton.



NO. 328 QUAKER CITY HACK SAW FRAME

The Disston No. 328 Quaker City Hack Saw Frame is nickel-plated, and adjustable to 8, 10 or 12-inch blades, in four positions. Black plastic pistol grip handle.

Weight each, 1 lb.

Packed 1 in envelope; 30 in shipping carton.

HACK SAW BLADES

DURAFLEX (Unbreakable) (HAND)

Catalog Number	Length inches	Teeth per inch	Thickness	Width inches	Weight 100 Blades
F1018	10	18	.025	1/2	3-12
F1024	10	24	.025	1/2	3-12
F1032	10	32	.025	1/2	3-12
F1214	12	14	.025	1/2	4-4
F1218	12	18	.025	1/2	4-4
F1224	12	24	.025	1/2	4-4
F1232	12	32	.025	1/2	4-4

Packed 100 to a box.

DISSTON DI-MOL (HAND)

Catalog Number	Length inches	Teeth per inch	Thickness	Width inches	Weight 100 Blades
D1018	10	18	.025	1/2	3-15
D1024	10	24	.025	1/2	3-15
D1032	10	32	.025	1/2	3-15
D1214	12	14	.025	1/2	4-10
D1218	12	18	.025	1/2	4-10
D1224	12	24	.025	1/2	4-10
D1232	12	32	.025	1/2	4-10

Packed 100 to a box.

(Heavy Duty Hand and Light Power)

Catalog Number	Length inches	Teeth per inch	Thickness	Width inches	Weight 10 Blades
D-1214-3	12	14	.032	5/8	12
D-1218-3	12	18	.032	5/8	12

Packed 10 per box.

DISSTON SUPER-SAFE (Unbreakable) (HAND)

Catalog Number	Length inches	Teeth per inch	Thickness	Width inches	Weight 100 Blades
S1018	10	18	.025	1/2	4-4
S1024	10	24	.025	1/2	4-4
S1032	10	32	.025	1/2	4-4
S1214	12	14	.032	5/8	4-12
S1218	12	18	.032	5/8	4-12
S1224	12	24	.032	5/8	4-12
S1232	12	32	.032	5/8	4-12

Packed 100 to a box.

DISSTON HIGH SPEED STEEL (HAND)

Catalog Number	Length inches	Teeth per inch	Thickness	Width inches	Weight 100 Blades
H-1018	10	18	.025	1/2	4-2
H-1024	10	24	.025	1/2	4-2
H-1032	10	32	.025	1/2	4-2
H-1214	12	14	.025	1/2	4-13
H-1218	12	18	.025	1/2	4-13
H-1224	12	24	.025	1/2	4-13
H-1232	12	32	.025	1/2	4-13

Packed 100 to a box.

(Heavy Duty Hand and Light Power)

Catalog Number	Length inches	Teeth per inch	Thickness	Width inches	Weight 10 Blades
H-1214-3	12	14	.032	5/8	12
H-1218-3	12	18	.032	5/8	12

Packed 10 per box.

DISSTON CHROMOL (All Hard) (HAND)

Catalog Number	Length inches	Teeth per inch	Thickness	Width inches	Weight 100 Blades
C-1018	10	18	.025	1/2	3-12
C-1024	10	24	.025	1/2	3-12
C-1032	10	32	.025	1/2	3-12
C-1214	12	14	.025	1/2	4-4
C-1218	12	18	.025	1/2	4-4
C-1224	12	24	.025	1/2	4-4
C-1232	12	32	.025	1/2	4-4

Packed 100 to a box.

DISSTON SUPER-SAFE (Unbreakable) (POWER)

Catalog Number	Length inches	Teeth per inch	Thickness	Width inches	Weight 10 Blades
S-1406-6	14	6	.062	1 1/4	3-3
S-1410-6	14	10	.062	1 1/4	3-3
S-1403-7	14	3	.075	1 1/2	4-9
S-1404-7	14	4	.075	1 1/2	4-9
S-1406-7	14	6	.075	1 1/2	4-9
S-1704-6	17	4	.062	1 1/4	3-15
S-1706-6	17	6	.062	1 1/4	3-15
S-1710-6	17	10	.062	1 1/4	3-15
S-1806-6	18	6	.062	1 1/4	4-1
S-1810-6	18	10	.062	1 1/4	4-1
S-1803-7	18	3	.075	1 1/2	5-13
S-1804-7	18	4	.075	1 1/2	5-13
S-1806-7	18	6	.075	1 1/2	5-13
S-1803-8	18	3	.088	1 3/4	8-1
S-1804-8	18	4	.088	1 3/4	8-1
S-1806-8	18	6	.088	1 3/4	8-1
S-2103-8	21	3	.088	1 3/4	9-10
S-2104-8	21	4	.088	1 3/4	9-10
S-2106-8	21	6	.088	1 3/4	11-5
S-2403-8	24	3	.088	1 3/4	11-5
S-2404-8	24	4	.088	1 3/4	11-5
S-2406-8	24	6	.088	1 3/4	11-5
S-2403-0	24	3	.100	2	14-3
S-2404-0	24	4	.100	2	14-3
S-2406-0	24	6	.100	2	14-3

Packed 10 in a box.

HACK SAW BLADES (POWER)



DISSTON HIGH SPEED STEEL (POWER)

Catalog Number	Length inches	Teeth per inch	Thickness	Width inches	Weight 10 Blades
H-1210-5	12	10	.050	1	2-0
H-1214-5	12	14	.050	1	2-0
H-1410-5	14	10	.050	1	2-5
H-1414-5	14	14	.050	1 $\frac{1}{4}$	2-5
H-1406-6	14	6	.062	1 $\frac{1}{4}$	3-8
H-1410-6	14	10	.062	1 $\frac{1}{4}$	3-8
H-1403-7	14	3	.075	1 $\frac{1}{2}$	5-0
H-1404-7	14	4	.075	1 $\frac{1}{2}$	5-0
H-1406-7	14	6	.075	1 $\frac{1}{2}$	5-0
H-1710-5	14	10	.050	1	2-11
H-1714-5	17	14	.050	1	4-3
H-1704-6	17	4	.062	1 $\frac{1}{4}$	4-3
H-1706-6	17	6	.062	1 $\frac{1}{4}$	4-3
H-1710-6	17	10	.062	1 $\frac{1}{4}$	4-3
H-1806-6	18	6	.062	1 $\frac{1}{4}$	4-6
H-1810-6	18	10	.062	1 $\frac{1}{4}$	4-6
H-1803-7	18	3	.075	1 $\frac{1}{2}$	6-6
H-1804-7	18	4	.075	1 $\frac{1}{2}$	6-6
H-1806-7	18	6	.075	1 $\frac{1}{2}$	6-6
H-1803-8	18	3	.088	1 $\frac{3}{4}$	9-0
H-1804-8	18	4	.088	1 $\frac{3}{4}$	9-0
H-1806-8	18	6	.088	1 $\frac{3}{4}$	9-0
H-2103-8	21	3	.088	1 $\frac{3}{4}$	10-5
H-2104-8	21	4	.088	1 $\frac{3}{4}$	10-5
H-2106-8	21	6	.088	1 $\frac{3}{4}$	10-5
H-2403-8	24	3	.088	1 $\frac{3}{4}$	11-14
H-2404-8	24	4	.088	1 $\frac{3}{4}$	11-14
H-2406-8	24	6	.088	1 $\frac{3}{4}$	11-14
H-2403-0	24	3	.100	2	15-3
H-2404-0	24	4	.100	2	15-3
H-2406-0	24	6	.100	2	15-3

Packed 10 in a box.


DISSTON DI-MOL (POWER)

Catalog Number	Length inches	Teeth per inch	Thickness	Width inches	Weight 10 Blades
D-1210-5	12	10	.050	1	1-14
D-1214-5	12	14	.050	1	1-14
D-1410-5	14	10	.050	1	2-2
D-1414-5	14	14	.050	1	2-2
D-1406-6	14	6	.062	1 $\frac{1}{4}$	3-3
D-1410-6	14	10	.062	1 $\frac{1}{4}$	3-3
D-1403-7	14	3	.075	1 $\frac{1}{2}$	4-10
D-1404-7	14	4	.075	1 $\frac{1}{2}$	4-10
D-1406-7	14	6	.075	1 $\frac{1}{2}$	4-10
D-1710-5	17	10	.050	1	2-8
D-1714-5	17	14	.050	1	2-8
D-1704-6	17	4	.062	1 $\frac{1}{4}$	3-14
D-1706-6	17	6	.062	1 $\frac{1}{4}$	3-14
D-1710-6	17	10	.062	1 $\frac{1}{4}$	3-14
D-1806-6	18	6	.062	1 $\frac{1}{4}$	4-0
D-1810-6	18	10	.062	1 $\frac{1}{4}$	4-0
D-1803-7	18	3	.075	1 $\frac{1}{2}$	5-14
D-1804-7	18	4	.075	1 $\frac{1}{2}$	5-14
D-1806-7	18	6	.075	1 $\frac{1}{2}$	5-14
D-1803-8	18	3	.088	1 $\frac{3}{4}$	8-6
D-1804-8	18	4	.088	1 $\frac{3}{4}$	8-6
D-1806-8	18	6	.088	1 $\frac{3}{4}$	8-6
D-1803-8	21	3	.088	1 $\frac{3}{4}$	8-6
D-2103-8	21	3	.088	1 $\frac{3}{4}$	9-8
D-2104-8	21	4	.088	1 $\frac{3}{4}$	9-8
D-2106-8	21	6	.088	1 $\frac{3}{4}$	9-8
D-2403-8	24	3	.088	1 $\frac{3}{4}$	9-8
D-2404-8	24	4	.088	1 $\frac{3}{4}$	9-8
D-2406-8	24	6	.088	1 $\frac{3}{4}$	11-2
D-2403-0	24	3	.100	2	11-2
D-2404-0	24	4	.100	2	14-3
D-2406-0	24	6	.100	2	14-3

Packed 10 in a box.

TROWELS

BRICK TROWELS



NO. 5 DISSTON BRICK TROWEL "London Pattern"

Taper ground from heel to point and from center to edges for flexibility; post at right angle to the blade; handle set for correct lift and balance. Best for small mortar joints. Blade, post and tang forged from one piece of steel; hardened, tempered and polished. Hickory handle, 6" long, lacquered, shaped to hand; strong nickel-plated steel ferrule, 1 $\frac{5}{8}$ " long. Tang securely locks handle.

Length	Width	Weight per doz.
10"	4 $\frac{1}{4}$ "	11 $\frac{1}{2}$ lbs.
11"	4 $\frac{5}{8}$ "	12 $\frac{1}{4}$ lbs.
12"	5"	13 lbs.

Packed 1/2 dozen in box.

NO. 10 DISSTON BRICK TROWEL


"Philadelphia Pattern"

Taper ground from heel to point and from center to edges. Post at right angle to blade; handle set for correct lift and balance.

Blade, post and tang forged from one piece of steel. Hardened, tempered and polished. Hickory handle 6" long, lacquered with heavy nickel-plated steel ferrule, 1 $\frac{5}{8}$ " long. Tang securely locks handle on trowel.

Length	Width	Weight per doz.
9"	4 $\frac{5}{8}$ "	10 $\frac{3}{4}$ lbs.
10"	4 $\frac{7}{8}$ "	11 $\frac{1}{2}$ lbs.
11"	5 $\frac{3}{8}$ "	13 lbs.
12"	5 $\frac{1}{2}$ "	13 $\frac{3}{4}$ lbs.

Packed 1/2 dozen in box.




NO. 12 DISSTON BRICK TROWEL "Wide London Pattern"

Made with a wide heel. Taper ground from heel to point and from center to edges for flexibility; post at right angle to the blade; handle set for correct lift and balance. Blade, post and tang forged from one piece of steel; hardened, tempered and polished.

Hickory handle, 6" long, lacquered, shaped to hand; strong nickel-plated steel ferrule, 1 $\frac{5}{8}$ " long. Tang securely locks handle.

Length	Width	Weight per doz.
10"	5 $\frac{1}{2}$ "	12 lbs.
11"	5 $\frac{5}{8}$ "	13 lbs.

Packed 1/2 dozen in box.



NO. 30 DISSTON BRICK TROWEL


Made with a wide heel. Preferred for faster work where heavy mortar joints are required.

Blade, taper ground from heel to point and from center to edges; handle set for correct lift and balance. Blade, post and tang forged from one piece of steel, hardened, tempered and polished.

Hickory handle, 6" long, lacquered; steel ferrule, 1 $\frac{5}{8}$ " in length. Tang securely locks handle.

Length	Width	Weight per doz.
10"	5 $\frac{3}{4}$ "	12 $\frac{1}{2}$ lbs.
11"	6"	13 $\frac{3}{4}$ lbs.
12"	6 $\frac{1}{8}$ "	15 lbs.

Packed 1/2 dozen in box.



NO. 32 DISSTON BRICK TROWEL "Boston Pattern"


Heavy blade, post at right angle to blade; handle set for correct lift and balance.

Blade, post and tang forged from one piece of steel, hardened, tempered, ground and polished.

Hickory handle, 5" long, lacquered, shaped to hand, heavy nickel-plated steel ferrule. Tang locks handle on trowel.

Length	Width	Weight per doz.
8"	4"	9 lbs.

Packed 1/2 dozen in box.



K-252 BRICK TROWEL

The K-252 Brick Trowel is made "Philadelphia Pattern," taper ground from heel to point and from center to edges.

Blade, post and tang forged from one piece of steel, hardened, tempered and polished. Tang securely locks handle.

Hardwood handle, 5 $\frac{1}{2}$ " long, lacquered. Nickel-plated steel ferrule.

Length	Width	Weight per doz.
9"	4 $\frac{5}{8}$ "	10 lbs.
10"	4 $\frac{7}{8}$ "	11 lbs.
11"	4 $\frac{7}{8}$ "	11 lbs.

Packed 1/2 dozen in box.

POINTING TROWELS



NO. 15 DISSTON POINTING TROWEL

Similar to "Philadelphia Pattern" brick trowel. Spiral tang securely locks handle. Correct in shape, perfectly balanced.


Blade, post and tang forged from one piece of steel, hardened, tempered, taper ground and polished.

Hardwood handle, 4 $\frac{5}{8}$ " long, lacquered; strong nickel-plated steel ferrule, 1" long.

Length	Width	Weight per doz.
4"	2 $\frac{3}{16}$ "	3 lbs.
5"	2 $\frac{1}{2}$ "	3 $\frac{1}{2}$ lbs.
6"	2 $\frac{3}{4}$ "	4 lbs.

Packed 1/2 dozen in box.

CEMENTER'S TROWELS



NO. 68 DISSTON CEMENTER'S TROWEL


Long, strong mounting of specially treated maleable iron. Flexible blade; correct hang; ample knuckle room.

Blade, hardened, tempered, polished steel; accurately ground. Countersunk rivets. Flat thumb rest, basswood handle, smooth finish. Tang extends through handle—threaded on end to receive hexagon nut and washer.

Length	Width	Gauge	Rivets	Weight per doz.
12"	4"	23	10	12 lbs.
14"	4"	23	12	13 lbs.
16"	4"	23	12	16 lbs.

Packed 1/2 dozen in box.

PLASTERING TROWELS




NO. 28 DISSTON FINISHING TROWEL

Specially treated malleable iron mounting; perfect balance steel blade, hardened, tempered and polished. Specially ground, making a strong flexible blade.

Long mounting, countersunk rivets; flat thumb rests, basswood handle, smooth finish. Tang through handle—threaded to receive hexagon nut and washer.

Length	Width	Gauge	Rivets	Weight per doz.
10½"	4½"	24	10	12½ lbs.
11"	4¾"	24	10	13 lbs.
11½"	4¾"	24	10	13¾ lbs.

Packed ½ dozen in box.



NO. 38 DISSTON FINISHING TROWEL


California pattern handle. Specially treated malleable iron mounting; perfectly balanced.

Blade of hardened, tempered, polished steel; specially ground making a stronger, more flexible blade.

Long mounting; countersunk rivets; flat thumb rest. Basswood handle, smooth finish; comfortable grip assuring easy action. Tang through handle threaded on end to receive hexagon nut and washer.

Length	Width	Gauge	Rivets	Weight per doz.
10½"	4½"	24	10	12½ lbs.
11"	4¾"	24	10	13 lbs.
11½"	4¾"	24	10	13¾ lbs.

Packed ½ dozen in box.



NO. 328 DISSTON FLEXOLITE FINISHING TROWEL


Lightweight trowel for finish plastering work. Mounting of heat treated aluminum alloy which gives lightweight and perfect balance.

Special grinding makes a strong, flexible blade. Blade of hardened, tempered, polished steel.

Long mounting with flat thumb rest fastened to the blade with countersunk rivets. Basswood handle, smooth finish. Tang extends through handle—end threaded to receive hexagon nut and washer.

Length	Width	Gauge	Rivets	Weight per doz.
10½"	4½"	24	10	11 lbs.
11"	4¾"	24	10	12½ lbs.
11½"	4¾"	24	10	12¾ lbs.

Packed in individual boxes.




NO. 338 DISSTON FLEXOLITE FINISHING TROWEL

The No. 338 Flexolite finishing trowel has a "California Pattern" handle. Blade of hardened, tempered, polished steel. Same mounting as 328 fastened to blade with counter-sunk rivets. Basswood handle, smooth finish, comfortable grip. Tang extends through handle—end threaded to receive hexagon nut and washer.

Length	Width	Gauge	Rivets	Weight per doz.
10½"	4½"	24	10	11 lbs.
11"	4¾"	24	10	12½ lbs.
11½"	4¾"	24	10	12¾ lbs.

Packed in individual boxes.



K-250 PLASTERING TROWEL


Blade of special hardened, tempered and polished steel.

Mounting of specially treated malleable iron, firmly fastened to blade with countersunk rivets; flat thumb rest.

Handle of basswood, shaped to hand; smooth finish. Tang through handle—threaded on end to receive hexagon nut and washer.

Length	Width	Gauge	Rivets	Weight per doz.
10½"	4½"	22	7	12 lbs.
11"	4½"	22	7	12½ lbs.
11½"	4½"	22	7	13 lbs.

Packed ½ dozen in box.



NO. 20 DISSTON CABINET SCRAPER

The Disston No. 20 Cabinet Scraper is made of hardened and tempered steel; plain edges; easy to burnish; 20 gauge; for use by hand or in scraper planes.

Sizes	Weight per doz.
2½" x 5"	1½ lbs.
3" x 5"	2 lbs.
3" x 6"	2½ lbs.

Packed 1 dozen in box.




BAND SAW FOR WOOD

Made for standard home workshop machines. Toothing 7 points to the inch in $\frac{3}{16}$ -inch and $\frac{1}{4}$ -inch widths. The $\frac{3}{8}$ -inch and $\frac{1}{2}$ -inch widths are toothing 6 points to the inch. Supplied set, sharpened and joined ready for use.

	Length	Width	Length	Width
	4' 8"	$\frac{3}{16}$ "	6' 11"	$\frac{3}{16}$ "
		$\frac{1}{4}$ "		$\frac{1}{4}$ "
		$\frac{3}{8}$ "		$\frac{3}{8}$ "
		$\frac{1}{2}$ "		$\frac{1}{2}$ "
5'	$\frac{3}{16}$ "	7' 6"		$\frac{3}{16}$ "
	$\frac{1}{4}$ "			$\frac{1}{4}$ "
	$\frac{3}{8}$ "			$\frac{3}{8}$ "
	$\frac{1}{2}$ "			$\frac{1}{2}$ "
5' 2 $\frac{1}{2}$ "	$\frac{3}{16}$ "			$\frac{1}{2}$ "
	$\frac{1}{4}$ "	7' 9 $\frac{1}{2}$ "	$\frac{3}{16}$ "	
	$\frac{3}{8}$ "			$\frac{1}{4}$ "
	$\frac{1}{2}$ "			$\frac{1}{4}$ "
5' 6"	$\frac{3}{16}$ "			$\frac{3}{8}$ "
	$\frac{1}{4}$ "			$\frac{1}{2}$ "
	$\frac{3}{8}$ "			$\frac{1}{2}$ "
	$\frac{1}{2}$ "			$\frac{3}{16}$ "
5' 11"	$\frac{3}{16}$ "		8' 5 $\frac{1}{8}$ "	$\frac{3}{16}$ "
	$\frac{1}{8}$ "			$\frac{1}{4}$ "
	$\frac{3}{16}$ "			$\frac{3}{8}$ "
	$\frac{1}{4}$ "			$\frac{1}{2}$ "
	$\frac{3}{8}$ "			$\frac{3}{16}$ "
6' 2"	$\frac{3}{16}$ "		8' 9"	$\frac{3}{16}$ "
	$\frac{1}{16}$ "			$\frac{1}{4}$ "
	$\frac{1}{4}$ "			$\frac{3}{8}$ "
	$\frac{3}{8}$ "			$\frac{1}{2}$ "
6' 5 $\frac{1}{2}$ "	$\frac{3}{16}$ "		9' 3"	$\frac{3}{16}$ "
	$\frac{1}{4}$ "			$\frac{1}{4}$ "
	$\frac{3}{8}$ "			$\frac{3}{8}$ "
	$\frac{1}{2}$ "			$\frac{3}{16}$ "
6' 6"	$\frac{3}{16}$ "			$\frac{1}{2}$ "
	$\frac{1}{4}$ "			$\frac{3}{16}$ "
	$\frac{3}{8}$ "			$\frac{1}{4}$ "
	$\frac{1}{2}$ "			$\frac{3}{8}$ "
6' 7"	$\frac{3}{16}$ "			$\frac{1}{2}$ "
	$\frac{1}{16}$ "			$\frac{3}{8}$ "
	$\frac{1}{4}$ "			$\frac{1}{2}$ "
	$\frac{3}{8}$ "			$\frac{3}{16}$ "

WOOD CHISELS



DISSTON D-1-S SETS

The Disston Wood Turning Chisels which comprise this set are designed for use with a wood lathe.


Each of the eight chisels is made of a special steel, hardened to file hardness, ground with proper bevels and polished.

Forged tangs are carefully fitted into hardwood handles so blades are held securely.

Pattern	Length Blades Inches	Overall Length Inches
1" Skew	$6\frac{3}{4}$	$16\frac{3}{4}$
$\frac{1}{2}$ " Skew	$6\frac{3}{4}$	$16\frac{3}{4}$
$\frac{3}{4}$ " Gouge	$6\frac{3}{4}$	$16\frac{3}{4}$
$\frac{1}{2}$ " Gouge	$6\frac{3}{4}$	$16\frac{3}{4}$
$\frac{1}{4}$ " Gouge	$6\frac{3}{4}$	$16\frac{3}{4}$
$\frac{1}{2}$ " Round Nose	$6\frac{3}{4}$	$16\frac{3}{4}$
$\frac{1}{2}$ " Spear Point	$6\frac{3}{4}$	$16\frac{3}{4}$
$\frac{1}{2}$ " Parting	$6\frac{3}{4}$	$16\frac{3}{4}$

Packed 1 set in attractive display box.
Weight per set, $5\frac{1}{2}$ lbs.

SAW SETS




NO. 34 DISSTON SAW SET

A strong powerful tool with hardened steel plunger and anvil. Open top permits good view of work being done.

Body and handle made of strong malleable iron. Easy, positive adjustments. For circular saws, one and two man cross-cut saws, pulpwood and buck saws; 11 gauge or thinner; 6 or less teeth to the inch.

Packed 1 in box.
Weight— $1\frac{1}{2}$ lbs. each




NO. 24 DISSTON SAW SET

A popular pistol grip type saw set with easy action open top, permits good view of saw teeth. Malleable iron body and handle. Lacquer finish. Plunger and anvil made of hardened steel. Adjustable for hand and panel saws, back saws, butcher saw blades, pulpwood blades, band saws and small circular saws; 18 gauge and thinner; 14 points or less to the inch.

Packed 1 in box; 12 in shipping carton.
Weight—1 lb. each

FILE HANDLES



FILE HANDLES

Nos. 1, 2, 3 and 4 are made from selected wood. Smooth finish; shaped for comfortable grip. Ferrule end is slit to allow for expansion and gripping. Tangs of different size. Spiral ferrule grips tang and prevents cracking or splitting of handle.

No. of Handle	Length of Handle	Files used in Handle	Weight per doz.
No. 1	$4\frac{1}{4}$ "	3 to 6"	$\frac{3}{4}$ lb.
No. 2	$4\frac{1}{16}$ "	6 to 10"	$1\frac{1}{8}$ lbs.
No. 3	$4\frac{7}{8}$ "	10 to 12"	$1\frac{3}{4}$ lbs.
No. 4	$5\frac{5}{8}$ "	14 & 16"	2 lbs.
Assorted	2 Nos. 1 & 4 4 Nos. 2 & 3		$1\frac{1}{2}$ lbs.

Packed 1 dozen same size in box.
Also 1 doz. assorted sizes in box.




K-32 SAW SET

Moderate priced tool with pistol grip. Open top for good view of work being done. Malleable iron body and handle; lacquer finish. Plunger and anvil made of hardened steel.

Graduated wheel adjusts the anvil for 5 to 11 point saws. For hand and panel saws having 11 points or less to the inch.

Packed 1 in box; 12 in shipping carton.
Weight—1 lb. each.

SAW FILING CLAMPS



NO. 2 DISSTON SAW FILING CLAMP

The No. 2 Saw clamp can be moved forward and backward to any angle desired by the user and clamped in position by a thumb screw adjustment. The side ratchet arrangement at the joint prevents slipping.

Malleable iron lever constructed so that when pressing it downward the clamp grips the saw blade firmly. The reverse movement releases it. Attached to a bench with thumb screw, black lacquer finish.

Length of Jaw	Weight each
9½"	6 lbs.

Packed 1 in carton.

DOCKING SAW



NO. 196 DOCKING SAW

The Disston No. 196 Docking Saw is made for rough work in lumber and shipyards, car shops, on the farm, in the mines, and for railroads.

BLADE, taper ground; flem teeth, 4½ points to the inch, filed with wide bevel and set. Skew-back and curved breast.

HANDLE, malleable iron, aluminum finish to prevent rust, strong comfortable grip, secured with two rivets.

Length	Width at butt	Width at Point	No. Gauges Taper	Weight each
30"	7"	2½"	3	3 lbs.

Fitted ready for use.
Packed 1/3 dozen in box.

MINE AND UTILITY SAW



NO. 17 UTILITY SPEED SAW

The Disston No. 17 Utility Speed Saw has specially designed fast cutting teeth. For heavy lumber in mines, construction work, shipyards, docks, railroads.

BLADE, straight-back, ground and polished.

HANDLE, malleable iron, comfortable grip, Parkerized finish, secured with two stainless steel rivets.

Length	Width at butt	Width at Point	Weight each
2½'	6½"	2½"	3 lbs.

Fitted ready for use.
Packed 1/2 dozen in box.

DISSCHROME CIRCULAR SAW BLADES FOR PORTABLE ELECTRIC SAWS AND BENCH MACHINES

Diameter	Hole	Flooring L	Cut Off L	Rip A	U	S	V	W	Dado Sets #3	Special Plywood	Planer S	Diameter	Hole	Flooring L	Cut Off L	Rip A	U	S	V	W	Dado Sets #3	Special Plywood	Planer S
4"	½" rd.		88						X		X	7½"	½" rd. ¾"-⅝" rd.* ⅜"-½" rd.*	100	36					24			X
5½"	¾" diamond	60	100			X	44	20	X	X	X	8"	⅜"-½" rd.*	100	36	X	X	44	30			80	X
6"	⅜"-½" rd.*	60	100	40				20			X	¾" rd.	100	36					30			X	
	½" sq.	60	100					16				¾" rd.	100	36					44			X	
	13½" diamond											½" rd.	100	36					30			X	
6½"	1½" rd.	60	100					20			X	½" rd.	100	36					30			X	
6¼"	¾"-⅓" rd.*		100					20			X	½" rd.	100	36					44			X	
6½"	½" rd.	60	100					20			X	½" rd.	100	36					30			X	
	13½" diamond		100									½" rd.	100	36					30			X	
7"	½" sq.	70	100			X	44	24			X	½" rd.	100	36					44			X	
	¾"-⅓" rd.*		100	36								½" rd.	100	36					30			X	
	¾"-⅓" rd.*	70	100					24			X	½" rd.	100	36					44			X	
7½"	½" rd.	70	100					24			X	½" rd.	100	36					30			X	
	13½" diamond		100									½" rd.	100	36					30			X	
7½"	¾"-⅓" rd.	70	100					24			X	½" rd.	100	36					44			X	
	½" rd.	70	100					24			X	½" rd.	100	36					36			X	
7¾"	13½" diamond	70	100					24			X	½" rd.	100	36					36			X	
	½" sq.	70	100					24			X	½" rd.	100	36					40			X	
	1½" rd.	70	100					24			X	½" rd.	100	36					36			X	

*Knock out bushing for large size hole.
(Saws not included above may be ordered in minimum quantities of 100.)

DISSCHROME CIRCULAR SAW BLADES FOR PORTABLE ELECTRIC SAWS

Note: Disschrome Saw Blades Packages now marked with Both Disston and original saw manufacturer numbers. Use either number in ordering.

PART NO.	TYPE	DIAMETER	HOLE	NO. TEETH	DISSTON PART NO.
DISSTON					
Flooring		6½"	5/8" rd.	60	FL6405
Cut Off		6½"	5/8" rd.	100	CL6405
W Comb.		6½"	5/8" rd.	20	CW6405
Planer		6½"	5/8" rd.	10	PS6405
Rip		6½"	5/8" rd.	36	RA6405

BLACK & DECKER					
PART NO.	TYPE	DIAMETER	HOLE	NO. TEETH	DISSTON PART NO.
U1602	Cut Off	6⅛	1⅛ rd.	100	CL 6109
U1604	Flooring	6⅛	1⅛ rd.	60	FL 6109
U1600	W Comb.	6⅛	1⅛ rd.	20	CW 6109
U1601	Planer	6⅛	1⅛ rd.	10 sec.	PS 6109
U1622	Cut Off	6½	5/8" rd.	100	CL 6405
U1624	Flooring	6½	5/8" rd.	60	FL 6405
U1620	W Comb.	6½	5/8" rd.	20	CW 6405
U1621	Planer	6½	5/8" rd.	10 sec.	PS 6405
U1722	Cut Off	7¼	5/8" rd.	100	CL 7205
U1724	Flooring	7¼	5/8" rd.	70	FL 7205
U1720	W Comb.	7¼	5/8" rd.	24	CW 7205
U1721	Planer	7¼	5/8" rd.	10 sec.	PS 7205
U1702	Cut Off	7¾	1⅛ rd.	100	CL 7309
U1704	Flooring	7¾	1⅛ rd.	70	FL 7309
U1700	W Comb.	7¾	1⅛ rd.	24	CW 7309
U1701	Planer	7¾	1⅛ rd.	10 sec.	PS 7309
U1820	V Comb.	8	5/8"	44	CV 8005
U1821	Planer	8	5/8"	12 sec.	PS 8005
U1822	Cut Off	8	5/8"	100	CL 8005
U1824	Flooring	8	5/8"	70	FL 8005
	Plywood	8	5/8"	80	CQ 8005
U1802	Cut Off	8¼	1⅛ rd.	100	CL 8211
U1804	Flooring	8¼	1⅛ rd.	70	FL 8211
U1800	W Comb.	8¼	1⅛ rd.	30	CW 8211
U1801	Planer	8¼	1⅛ rd.	12 sec.	PS 8211
U1900	W Comb.	9¼	1⅛ rd.	36	CW 9211

MALL					
PART NO.	TYPE	DIAMETER	HOLE	NO. TEETH	DISSTON PART NO.
601	Cut Off	6	½ sq.	100	CL 6019
604	Flooring	6	½ sq.	60	FL 6019
600	W Comb.	6	½ sq.	20	CW 6019
603	Planer	6	½ sq.	10 sec.	PS 6019
711	Cut Off	7	½ sq.	100	CL 7019
714	Flooring	7	½ sq.	70	FL 7019
710	W Comb.	7	½ sq.	24	CW 7019
713	Planer	7	½ sq.	10 sec.	PS 7019
726	Cut Off	7½	1¾ sq.	100	CL 7219
729	Flooring	7½	1¾ sq.	70	FL 7219
725	W Comb.	7½	1¾ sq.	24	CW 7219
728	Planer	7½	1¾ sq.	10 sec.	PS 7219
851	Cut Off	8½	1¾ sq.	100	CL 8419
850	W Comb.	8½	1¾ sq.	30	CW 8419

BRADFORD					
PART NO.	TYPE	DIAMETER	HOLE	NO. TEETH	DISSTON PART NO.
1300	Cut Off	6	½ rd.	100	CL 6005
1306	Flooring	6	½ rd.	60	FL 6005
1302	V Comb.	6	½ rd.	44	CV 6005
1304	Planer	6	½ rd.	10 sec.	PS 6005
1312	Rip	6	½ rd.	40	RA 6005
1307	Flooring	7	5/8" rd.	70	FL 7006
1305	Planer	7	5/8" rd.	10 sec.	PS 7005
1301	Cut Off	8	5/8" rd.	100	CL 8005
	Flooring	8	5/8" rd.	70	FL 8005
1303	V Comb.	8	5/8" rd.	44	CV 8005
1313	Rip	8	5/8" rd.	36	RA 8005
	Plywood	8	5/8"	80	CQ 8005

MILLERS FALLS					
PART NO.	TYPE	DIAMETER	HOLE	NO. TEETH	DISSTON PART NO.
	Cut Off	6½	5/8" rd.	100	CL 6405
	Flooring	6½	5/8" rd.	60	FL 6405
	W Comb.	6½	5/8" rd.	20	CW 6405
	Planer	6½	5/8" rd.	10 sec.	PS 6405
	Cut Off	7	5/8" rd.	100	CL 7005
7008	Flooring	7	5/8" rd.	70	FL 7005
7002	W Comb.	7	5/8" rd.	24	CW 7005
7004	Planer	7	5/8" rd.	10 sec.	PS 7005
	S Comb.	7	5/8" rd.	10 sec.	CS 7005
	Rip	7	5/8" rd.	36	RA 7005
	Cut Off	7½	5/8" rd.	100	CL 7205
	Flooring	7½	5/8" rd.	70	FL 7205
	W Comb.	7½	5/8" rd.	24	CW 7205
	Planer	7½	5/8" rd.	10 sec.	PS 7205
	Cut Off	8	5/8" rd.	100	CL 8005
	Flooring	8	5/8" rd.	70	FL 8005
	W Comb.	8	5/8" rd.	30	CW 8005
	Planer	8	5/8" rd.	12 sec.	PS 8005
	S Comb.	8	5/8" rd.	12 sec.	CS 8005
	Rip	8	5/8" rd.	36	RA 8005
	Plywood	8	5/8"	80	CQ 8005
	Cut Off	8½	5/8" rd.	100	CL 8205
	W Comb.	8½	5/8" rd.	30	CW 8205
	Planer	8½	5/8" rd.	12 sec.	PS 8205
	Cut Off	10	5/8" rd.	100	CL 10006
	W Comb.	10	5/8" rd.	36	CW 10006
	S Comb.	10	5/8" rd.	16 sec.	CS 10006
	Planer	10	5/8" rd.	16 sec.	PS 10006
	Rip	10	5/8" rd.	36	RA 10006

PART NO.	TYPE	DIAMETER	HOLE	NO. TEETH	DISSTON PART NO.
MAXAW					
B-53339	Cut Off	7¼	5/8" rd.	100	CL 7205
B-53338	Flooring	7¼	5/8" rd.	60	FL 7205
B-53038	W Comb.	7¼	5/8" rd.	24	CW 7205
B-53335	Planer	7¼	5/8" rd.	10 sec.	PS 7205

PART NO.	TYPE	DIAMETER	HOLE	NO. TEETH	DISSTON PART NO.
DORMEYER					
01-50108-00	Cut Off	6½	5/8" rd.	100	CL 6405
01-50164-00	Flooring	6½	5/8" rd.	60	FL 6405
01-50028-00	W Comb.	6½	5/8" rd.	20	CW 6405
01-50132-00	Planer	6½	5/8" rd.	10 sec.	PS 6405

PART NO.	TYPE	DIAMETER	HOLE	NO. TEETH	DISSTON PART NO.
SIOUX					
RC1842	Cut Off	6¼	5/8" rd.	100	CL 6206
RC1841	W Comb.	6¼	5/8" rd.	20	CW 6206
RC1843	Planer	6¼	5/8" rd.	10 sec.	PS 6206
RC1891	Cut Off	7½	5/8" rd.	100	CL 7406
RC1890	W Comb.	7½	5/8" rd.	24	CW 7406
RC1892	Planer	7½	5/8" rd.	12 sec.	PS 7406
RC1872	Cut Off	8¼	5/8" rd.	100	CL 8205
RC1871	W Comb.	8¼	5/8" rd.	30	CW 8205
RC1873	Planer	8¼	5/8" rd.	12 sec.	PS 8205

PART NO.	TYPE	DIAMETER	HOLE	NO. TEETH	DISSTON PART NO.
SKILSAW					
9487	Cut Off	5¾	13/16 diamond	100	CL 5704
9752	Flooring	5¾	13/16 diamond	60	FL 5704
9775	W Comb.	5¾	13/16 diamond	44	CV 5704
12265	Planer	5¾	13/16 diamond	10 sec.	PS 5704
9539					
314	Planer	5¾	13/16 diamond	10 sec.	PS 5704
9488					
11395	W Comb.	6	13/16 diamond	16	CW 6004
18552	Cut Off	6½	5/8" rd.	100	CL 6405
	Flooring	6½	5/8" rd.	60	FL 6405
17988	W Comb.	6½	5/8" rd.	20	CW 6405
18554	Planer	6½	5/8" rd.	10 sec.	PS 6405
16123	Cut Off	6½	13/16 diamond	100	CL 6404
13974					
13969	V Comb.	6½	13/16 diamond	44	CV 6404
16122					
13860	Planer	6½	13/16 diamond	10 sec.	PS 6404
16124					
356	Cut Off	7¼	13/16 diamond	100	CL 7204
11661					
358	Flooring	7¼	13/16 diamond	70	FL 7204
12266					
377	W Comb.	7¼	13/16 diamond	44	CV 7204
11660					
362	Planer	7¼	13/16 diamond	10 sec.	PS 7204
11662					
348	Flooring	8	13/16 diamond	70	FL 8004
12267					
9757	Planer	8	13/16 diamond	12 sec.	PS 8004
7477					
350	Cut Off	8¼	13/16 diamond	100	CL 8204
7478					
388	V Comb.	8¼	13/16 diamond	44	CV 8204
10430					
379	W Comb.	8½	13/16 diamond	44	CV 8704
12261					

PART NO.	TYPE	DIAMETER	HOLE	NO. TEETH	DISSTON PART NO.
STANLEY					

DISSCHROME CIRCULAR SAW BLADES FOR PORTABLE ELECTRIC SAWS

PART NO.	TYPE	DIAMETER	HOLE	NO. TEETH	DISSTON PART NO.
PORTER CABLE					
255C	Cut Off	6	5/8 rd.	100	CL 6005
24K88C	Flooring	6	5/8 rd.	60	FL 6005
19SC	W Comb.	6	5/8 rd.	20	CW 6005
	S Comb.	6	5/8 rd.	10 sec.	CS 6005
26SC	Planer	6	5/8 rd.	10 sec.	PS 6005
24SC	Rip	6	5/8 rd.	40	RA 6005
39A6	Cut Off	6 1/4	5/8 rd.	100	CL 6206
33A6	W Comb.	6 1/4	5/8 rd.	20	CW 6206
35A6	Planer	6 1/4	5/8 rd.	10 sec.	PS 6206
146-25	Cut Off	6 1/2	5/8 rd.	100	CL 6405
	Flooring	6 1/2	5/8 rd.	60	FL 6405
146-12	W Comb.	6 1/2	5/8 rd.	20	CW 6405
146-23	Planer	6 1/2	5/8 rd.	10 sec.	PS 6405
28SB	Cut Off	7	5/8 rd.	100	CL 7005
	Flooring	7	5/8 rd.	70	FL 7006
24SB	W Comb.	7	5/8 rd.	24	CW 7005
	S Comb.	7	5/8 rd.	10 sec.	CS 7005
29SB	Planer	7	5/8 rd.	10 sec.	PS 7005
25SB	Rip	7	5/8 rd.	36	RA 7005
157-27	Cut Off	7 1/4	5/8 rd.	100	CL 7205
	Flooring	7 1/4	5/8 rd.	70	FL 7205
157-25	W Comb.	7 1/4	5/8 rd.	24	CW 7205
157-28	Planer	7 1/4	5/8 rd.	10 sec.	PS 7205
	Cut Off	7 1/2	5/8 rd.	100	CL 7406
33K75	W Comb.	7 1/2	5/8 rd.	24	CW 7406
35K75	Planer	7 1/2	5/8 rd.	12 sec.	PS 7406
41K88C	Cut Off	8	5/8 rd.	100	CL 8005
41BK88C	Flooring	8	5/8 rd.	70	FL 8005
10K88C	W Comb.	8	5/8 rd.	30	CW 8005
	S Comb.	8	5/8 rd.	12 sec.	CS 8005
12K88C	Planer	8	5/8 rd.	12 sec.	PS 8005
11K88C	Rip	8	5/8 rd.	36	RA 8005
	Plywood	8	5/8	80	CQ 8005
31SA	Cut Off	8 1/4	5/8 rd.	100	CL 8205
24SA	W Comb.	8 1/4	5/8 rd.	30	CW 8205
32SA	Planer	8 1/4	5/8 rd.	12 sec.	PS 8205
	Cut Off	9	1/2 rd.	100	CL 9005
34K9	W Comb.	9	1/2 rd.	36	CW 9005
	S Comb.	9	1/2 rd.	14 sec.	CS 9005
36K9	Planer	9	1/2 rd.	14 sec.	PS 9005
35K9	Rip	9	1/2 rd.	36	RA 9005
33K10	Planer	10	3/4 rd.	16 sec.	PS 10006
19K10	W Comb.	10 1/4	3/4 rd.	36	CW 10206
	Cut Off	12	3/4 rd.	100	CL 12008
44K12	W Comb.	12	3/4 rd.	40	CW 12008
	S Comb.	12	3/4 rd.	18 sec.	CS 12008
59K12	Planer	12	3/4 rd.	18 sec.	PS 12008
43K12	Rip	12	3/4 rd.	36	RA 12008

MILWAUKEE

S-652	Cut Off	6 1/2	5/8 rd.	100	CL 6405
S-654	Flooring	6 1/2	5/8 rd.	60	FL 6405
S-651	W Comb.	6 1/2	5/8 rd.	20	CW 6405
	Planer	6 1/2	5/8 rd.	10 sec.	PS 6405
S-722	Cut Off	7	5/8 rd.	100	CL 7005
S-724	Flooring	7	5/8 rd.	70	FL 7006
S-721	W Comb.	7	5/8 rd.	24	CW 7005
	Planer	7	5/8 rd.	10 sec.	PS 7005
S-822	Cut Off	8 1/4	5/8 rd.	100	CL 8205
S-821	W Comb.	8 1/4	5/8 rd.	30	CW 8205
	Planer	8 1/4	5/8 rd.	12 sec.	PS 8205

THOR POWER TOOL CO.

73864	Cut Off	5 1/8	1 3/16 diamond	100	CL 5704
73872	Flooring	5 1/8	1 3/16 diamond	60	FL 5704
73862	V Comb.	5 1/8	1 3/16 diamond	44	CV 5704
73866	Planer	5 1/8	1 3/16 diamond	10 sec.	PS 5704
73876	Cut Off	7 1/4	1 3/16 diamond	100	CL 7204
73878	Flooring	7 1/4	1 3/16 diamond	70	FL 7204
73875	V Comb.	7 1/4	1 3/16 diamond	44	CV 7204
73877	Planer	7 1/4	1 3/16 diamond	10 sec.	PS 7204
73886	Flooring	8	1 3/16 diamond	70	FL 8004
73885	Planer	8	1 3/16 diamond	12 sec.	PS 8004
73883	Cut Off	8 1/4	1 3/16 diamond	100	CL 8204
73881	V Comb.	8 1/4	1 3/16 diamond	44	CV 8204
73889	V Comb.	8 1/4	1 3/16 diamond	44	CV 8704

RAM

Cut Off	6 1/2	5/8 rd.	100	CL 6405
Flooring	6 1/2	5/8 rd.	60	FL 6405
W Comb.	6 1/2	5/8 rd.	20	CW 6405
Planer	6 1/2	5/8 rd.	10 sec.	PS 6405
Cut Off	7	5/8 rd.	100	CL 7005
Flooring	7	5/8 rd.	70	FL 7005
W Comb.	7	5/8 rd.	24	CW 7005
S Comb.	7	5/8 rd.	10 sec.	CS 7005
Planer	7	5/8 rd.	10 sec.	PS 7005
Rip	7	5/8 rd.	36	RA 7005

DC-22 CIRCULAR SAW BLADE DISPLAY UNIT



Disston's new idea in saw blade merchandising . . . a new 18 pound permanent display unit, holds twenty-two Disston Disschrome blades to fit 60 different saws.

The DC-22 Circular Saw Display 14" high x 10" deep x 11" wide . . . designed for use on counter, wall or pegboard. Flexibility, size and sales appeal approved by NRHA.

Saw blades included in the DC-22 are the sizes and types recommended on basic hardware dealer turnover list published by NRHA. Blades include 6" and 8" cut-off, 8" and 10" up, 8" planer and 6" to 8" combination blades, for the most popular bench and portable saws—many of which are shown in this catalog.

Disston Disschrome blades are hard-chrome plated, enabling each blade to stay sharp longer—cut cleaner—and to resist rust.

Blades included in the display are listed below:

Saw No.	Quantity	Specifications
CL 6005	1	6" x 18 ga. 100T "L" 5/8-1/2
CL 8005	1	8" x 17 ga. 100T "L" 5/8-1/2
RA 8005	2	8" x 17 ga. 36T "A" 5/8-1/2
RA 10006	1	10" x 16 ga. 36 "A" 3/4-5/8
CS 8005	1	8" x 17 ga. 12 sect. "S" 5/8-1/2
PS 8005	1	8" x 14 1/2/14 ga. 12 sect. "S" 5/8-1/2
CV 7204	1	7 1/4" x 18 ga. 44T "V" 13/16 diamond
CV 8204	2	8 1/4" x 17 ga. 44T "V" 13/16 diamond
CW 6109	1	6 1/8" x 18 ga. 20T "W" 1-1/8
CW 6206	3	6 1/4" x 18 ga. 20T "W" 3/4-5/8
CW 6405	3	6 1/2" x 18 ga. 20T "W" 5/8
CW 6005	2	6" x 18 ga. 20T "W" 5/8-1/2
CW 7006	1	7" x 18 ga. 24T "W" 3/4
CW 7205	1	7 1/4" x 18 ga. 24T "W" 5/8
CW 8006	1	8" x 17 ga. 30T "W" 3/4

DISSCHROME CIRCULAR SAW BLADES FOR BENCH MACHINES

PART NO.	TYPE	DIAMETER	NO. TEETH	HOLE	DISSTON PART NO.
ATLAS PRESS COMPANY					
3207	V Comb.	8	44	5/8	CV 8005
3208	Rip	8	36	5/8	RA 8005
3209	Cut Off	8	100	5/8	CL 8005
3235	Planer	8	12 sec.	5/8	PS 8005
	Plywood	8	80	5/8	CQ 8005
3210	V Comb.	10	44	5/8	CV 10006
3211	Rip	10	36	5/8	RA 10006
3212	Cut Off	10	100	5/8	CL 10006
3236	Planer	10	16 sec.	5/8	PS 10006
3220	#3 Dado	6	cuts to 13/16"	5/8	

BOICE CRANE

835	Rip	8	36	3/4	RA 8006
836	Cut Off	8	100	3/4	CL 8006
837	S Comb.	8	12 sec.	3/4	CS 8006
838	Planer	8	12 sec.	3/4	PS 8006
1025	Rip	10	36	3/4	RA 10006
1026	Cut Off	10	100	3/4	CL 10006
1027	S Comb.	10	18 sec.	3/4	CS 10006
1028	Planer	10	18 sec.	3/4	PS 10006

COMET CUB-TOOLCRAFT CORP.

Rip	8	36	3/4	RA 8006
Cut Off	8	100	3/4	CL 8006
S Comb.	8	12 sec.	3/4	CS 8006
Planer	8	12 sec.	3/4	PS 8006

DARRA-JAMES

346-12	S Comb.	8	12 sec.	1 1/2 - 3/8	CS 8005
346-10	Rip	8	36	1 1/2 - 3/8	RA 8005
346-11	Cut Off	8	100	1 1/2 - 3/8	CL 8005
346-13	Planer	8	12 sec.	1 1/2 - 3/8	PS 8005
	Plywood	8	80	5/8	CQ 8005
59-92	S Comb.	9	14 sec.	5/8	CS 9005
59-90	Rip	9	36	5/8	RA 9005
59-91	Cut Off	9	100	5/8	CL 9005
59-93	Planer	9	14 sec.	5/8	PS 9005
100-92	S Comb.	10	16 sec.	5/8	CS 10006
100-90	Rip	10	36	5/8	RA 10006
100-91	Cut Off	10	100	5/8	CL 10006
100-93	Planer	10	16 sec.	5/8	PS 10006
2122-05	S Comb.	12	18 sec.	3/4	CS 12008
2122-01	Rip	12	36	3/4	RA 12008
2122-02	Cut Off	12	100	3/4	CL 12008
2122-11	Planer	12	18 sec.	3/4	PS 12008

DELTA

325	V Comb.	8	44	5/8	CV 8005
326	Planer	8	12 sec.	5/8	PS 8005
334	Rip	8	36	5/8	RA 8005
335	Cut Off	8	100	5/8	CL 8005
	Plywood	8	80	5/8	CQ 8005
33-198	Rip	9	36	5/8	RA 9005
33-223	Cut Off	9	100	5/8	CL 9005
33-196	V Comb.	9	44	5/8	CV 9005
33-227	Planer	9	14 sec.	5/8	PS 9005
33-224	S Comb.	9	14 sec.	5/8	CS 9005
1015	V Comb.	10	44	5/8	CV 10006
1016	Planer	10	16 sec.	5/8	PS 10006
1017	Rip	10	36	5/8	RA 10006
1018	Cut Off	10	100	5/8	CL 10006
333	#3 Dado	6 cuts to 13/16"		5/8	

DEWALT

954	U Comb.	9	16 sec.	5/8	CU 9005
954	V Comb.	9	44	5/8	CV 9005
1402	Rip	9	36	5/8	RA 9005
1252	Planer	9	14 sec.	5/8	PS 9005
980	U Comb.	10	18 sec.	5/8	CU 10006
980	V Comb.	10	44	5/8	CV 10006
1420	Rip	10	36	5/8	RA 10006
1264	Planer	10	16 sec.	5/8	PS 10006
958	U Comb.	12	20 sec.	1	CU 12008
958	V Comb.	12	44	1	CV 12008
1405	Rip	12	36	1	RA 12008
1256	Planer	12	18 sec.	1	PS 12008
6001	#3 Dado	6 cuts to 13/16"		5/8	
6025	#3 Dado	8 cuts to 13/16"		5/8	

EMERSON ELECTRIC CO.

S. Comb.	8	12 sec.	5/8	CS 8005
Plywood	8	80	5/8	CQ 8005
S. Comb.	10	16 sec.	5/8	CS 10006

FISH EQUIPMENT COMPANY

S. Comb.	8	12 sec.	5/8	CS 8005
Plywood	8	80	5/8	CQ 8005

HESTON & ANDERSON

V Comb.	8	44	5/8	CV 8005
Plywood	8	80	5/8	CQ 8005
V Comb.	9	44	5/8	CV 9005
U Comb.	10	16 sec.	5/8	CU 10006

DURO MACHINES

Metal	6	168	1/2	NF 6005
V Comb.	6	44	1/2	CV 6005
Cut Off	6	100	1/2	CL 6005
3456C	Planer	6	10 sec.	PS 6005
3457A	V Comb.	7	44	1/2
3457B	Cut Off	7	100	1/2
3457C	Planer	7	10 sec.	PS 7005
3457D	Rip	7	36	1/2
3458A	V Comb.	8	44	1/2
3458B	Cut Off	8	100	1/2
3458C	Planer	8	12 sec.	PS 8005
3458D	Rip	8	36	1/2
3458X	S Comb.	8	12 sec.	CS 8005
Plywood	8	80	5/8	CQ 8005
3460A	V Comb.	10	44	1/2
3460B	Cut Off	10	100	1/2
3460C	Planer	10	16 sec.	PS 10006
3460D	Rip	10	36	1/2
3460X	S Comb.	10	16 sec.	CS 10006
3436A	#3 Dado	6 cuts to 13/16"		5/8

PART NO. TYPE DIAMETER NO. TEETH HOLE DISSTON PART NO.

KING SEELEY CORP. CENTRAL SPECIALTY DIV.

V Comb.	7	44	5/8	CV 7005
S Comb.	7	10 sec.	5/8	CS 7005
S Comb.	8	12 sec.	5/8	PS 8005
Plywood	8	80	5/8	CQ 8005

SHOPMASTER MACHINES

U Comb.	8	16 sec.	5/8 or 1/2	CU 8005
Planer	8	12 sec.	5/8	PS 8005
Plywood	8	80	5/8	CQ 8005
U Comb.	10	18 sec.	5/8	CU 10006
Planer	10	16 sec.	5/8	PS 10006

SHOPSMITH MACHINES MAGNA ENGINEERING CORP.

S Comb.	8	12 sec.	5/8	CS 8005
Rip	8	36	5/8	RA 8005
Cut Off	8	100	5/8	CL 8005
Plywood	8	80	5/8	CQ 8005
#3 Dado	6 cuts to 13/16"		5/8	

SPRUNGER MACHINES

S Comb.	8	12 sec.	5/8	CS 8005
Rip	8	36	5/8	RA 8005
Cut Off	8	100	5/8	CL 8005
Plywood	8	80	5/8	CQ 8005
#3 Dado	6 cuts to 13/16"		5/8	

WALLACE MACHINES


Metal	6	168	1/2 or 5/8	MF 6005
U Comb.	6	40	1/2 or 5/8	RA 6005
Cut Off	6	100	1/2 or 5/8	CL 6005
S Comb.	6	10 sec.	1/2 or 5/8	CS 6005
Plywood	7	36	1/2 or 5/8	PS 6005
U Comb.	8	80	1/2 or 5/8	CQ 8005
V Comb.	9	16 sec.	1/2 or 5/8	CU 9005
Cut Off	9	100	1/2 or 5/8	CL 9005
Rip	9	36	1/2 or 5/8	RA 9005
Planer	9	14 sec.	1/2 or 5/8	PS 9005
U Comb.	10	18 sec.	1/2 or 5/8	CU 10006
Planer	10	16 sec.	1/2 or 5/8	PS 10006
Rip	10	36	1/2 or 5/8	RA 10006
Cut Off	10	100	1/2 or 5/8	CL 10006
Plywood	10	80	1/2 or 5/8	CQ 10006
#3 Dado	6 cuts to 13/16"		1/2 or 5/8	

ELECTRIC SABRE SAWS



**DAUNTLESS
ELECTRIC SABRE SAW**

Two Disston portable electric sabre saws to meet any customer need. The heavy duty "Dauntless" for the professional and the new "Dagger" for the home craftsman. There's virtually no cutting job that the Dauntless and Dagger can't do; zip through wood, plastics, rubber tile, linoleum tile, asphalt tile, laminated paper and Plexiglas. Cut steel plate (up to $\frac{1}{4}$ "), aluminum plate (up to $\frac{1}{2}$ "), angle iron, copper, bronze and brass. Also pipe, tubing and sheets. They can cut straight lines, circles, scrolls, bevels and mitres. Cut 15 to 50% faster than any other saw of its type! "ORBITE" action speeds up sawing, reduces fraying and increases blade life: blade cuts on up-stroke and backs away on down stroke. The motor operates at speeds up to 3800 strokes per minute. The Dauntless and Dagger are the only electric saws with detachable "Lifesaver" cord. The only portable electric sabre saws with the comfortable, sure grip Disston Hand Saw Handle. Both saws can cut bevels up to 45° in 2" lumber and make plunge cuts without drilling a hole. Dauntless and Dagger come complete with four blades and 10' "Lifesaver" cord. Rip fence included with Dauntless.




**DAGGER
ELECTRIC SABRE SAW**

9 BASIC BLADES CUT ALL MATERIALS FAST

For coarse cutting in soft materials, including soft metals, recommend blade with large teeth. For cutting thin sections small teeth are recommended. Use following table as guide for blade selection.

MATERIALS TO BE CUT	TEETH PER INCH	BLADE NO.
Heavy wood cutting.	6	BP-4911
	7	BP-4829
General purpose wood cutting.	10	BP-4969
General purpose cutting in plywood, plastics, tubing, laminates.	12	BP-4970
Copper and aluminum sheets up to $\frac{1}{2}$ " thick.	6	BP-5081
Copper and aluminum sheets and tubing up to $\frac{1}{4}$ ".	14	BP-4971
Steel sheets up to $\frac{1}{4}$ ".	18	BP-4972
Copper and aluminum sheets and tubing up to $\frac{1}{8}$ ".	32	BP-4914
Steel sheets up to $\frac{1}{8}$ ".		BP-5027
Fine cutting of thin wall metal tubing or sheets.		
Slitting paper, leather, cloth, rubber, corrugated board, etc.		



**DEFENDER 6 1/2"
ELECTRIC
CIRCULAR SAW**

DISCUS 6 1/2" ELECTRIC CIRCULAR SAW



These two new Disston Portable Electric Circular Saws enable you to sell the best saw to meet every customer requirement. The "Discus" is built for do-it-yourself home-owner service. The "Defender" is built to meet the heaviest demands of professional use. Only Disston offers so many features. They are available in both the "Discus" and "Defender". Exclusive Disston "Lifesaver" cord detaches from saw at handle—major repair not necessary when cord is cut—cord-free saw may be attractively displayed. Fool-proof slip clutch eliminates kick-back and motor burn outs due to stalling. Lever-lock bevel and depth adjustments. Nylon bearing in lower blade guard eliminates need for oil or grease. Broad pedestal base keeps saw in secure, upright position for changing blade. Conventional hand saw shaped handle for a firm, familiar, comfortable grip. Arbor size $\frac{5}{8}$ round arbor, 10 amp. AC-DC motor with 6700 RPM rating. Defender only is equipped with anti-friction bearings throughout to meet continuous duty demands of professional users.

BITE RITE—AMERICAN PATTERN FILES

KINDS	Packaged 1 Doz. to a Box						Packaged 1/2 Doz. to a Box					
	4"	5"	5 1/2"	6"	7"	8"	10"	12"	14"	16"	18"	
Aluminum Flat	X	X		X	X							
Aluminum Half Round	X	X		X	X							
Auger Bit				X								
Band Saw Blunt		X	X									
Band Saw Blunt Slim		X	X									
Band Saw Special #45		X	X									
Band Saw Special #56		X	X									
Body Files	Specifications on Application						X	X				
Brass Half Round							X	X				
Cant Saw File	X	X	X		X							
Casting Flat		X	X	X	X	X						
Casting Half Round			X	X	X	X						
Chain Saw Flat 2 R.E. #384				X								
Chain Saw Lozenge #531	X											
Chain Saw Round Blunt #533			X									
Chain Saw Round Blunt #535			X									
Chain Saw Round Blunt #537			X									
Chain Saw Round Blunt #538			X									
Crosscut Great American	X	X	X	X								
Cross Cut Precision	X	X	X	X								
Doctor Blade							X					
Double Ender	(also 9")	X	X	X	X							
Flat Bastard	X	X	X	X	X	X	X	X	X	X	X	X
Flat Second Cut	X	X	X	X	X	X	X	X	X	X	X	X
Flat Smooth	X	X	X	X	X	X	X	X	X	X	X	X
Half Round Bastard	X	X	X	X	X	X	X	X	X	X	X	X
Half Round 2nd Cut	X	X	X	X	X	X	X	X	X	X	X	X
Half Round Smooth	X	X	X	X	X	X	X	X	X	X	X	X
Hand Bastard		X	X	X	X	X						
Hand Second Cut		X	X	X	X	X						
Hand Smooth		X	X	X	X	X						
Knife Bastard	X	X	X	X								
Knife Second Cut	X	X	X	X								
Knife Smooth	X	X	X	X								
Lathe Flat Single Cut					X	X	X					
Lead Flat Float				X	X	X						
Lead Float Half Round				X	X	X						
Mill Bastard	X	X	X	X	X	X	X	X	X	X	X	X
Mill Second Cut		X	X	X	X	X	X	X	X	X	X	X
Mill Smooth		X	X	X	X	X	X	X	X	X	X	X
Mill 1 R.E. Bastard		X	X	X	X	X						
Mill 2 R.E. Bastard		X	X	X	X	X						
Multi-Duty		X										
Multi-Metal			X	X	X	X						
Pillar Bastard		X	X	X	X	X						
Pillar Second Cut		X	X	X	X	X						
Pillar Smooth		X	X	X	X	X						
Pruning Saw #38		X										
Round Bastard	X	X	X	X	X	X	X	X	X	X	X	X
Round Second Cut	X	X	X	X	X	X	X	X	X	X	X	X
Round Smooth	X	X	X	X	X	X	X	X	X	X	X	X
Shear Tooth Flat		X	X	X	X	X	X	X	X	X	X	X
Shear Tooth Half Round		X	X	X	X	X	X	X	X	X	X	X
Square Bastard	X	X	X	X	X	X	X	X	X	X	X	X
Square Second Cut	X	X	X	X	X	X	X	X	X	X	X	X
Square Smooth	X	X	X	X	X	X	X	X	X	X	X	X
Taper Regular			X	X	X	X	X	X	X	X	X	X
Taper Slim	X	X	X	X	X	X	X	X	X	X	X	X
Taper Extra Slim	X	X	X	X	X	X	X	X	X	X	X	X
Taper Double Extra Slim	X	X	X	X	X	X	X	X	X	X	X	X
Testing Mill Bastard				X	X	X	X	X	X	X	X	X
Three Square Bastard				X	X	X	X	X	X	X	X	X
Three Square Second Cut				X	X	X	X	X	X	X	X	X
Three Square Smooth				X	X	X	X	X	X	X	X	X
Warding Bastard	X	X	X	X	X	X						
Warding Second Cut	X	X	X	X	X	X						
Warding Smooth	X	X	X	X	X	X						

RASPS

KINDS	Packaged 1 Doz. to a Box						Packaged 1/2 Doz. to a Box					
	6"	8"	9"	10"	12"	14"	16"					
Cabinet Second Cut	X	X		X	X	X	X					
Cabinet Smooth		X		X	X	X	X					
Shoe Half Round				X	X	X	X					
Wood Flat					X	X	X					
Wood Half Round					X	X	X					
Wood Half Round Smooth				X	X	X	X					

X = Sizes available

GOLD MEDAL—AMERICAN PATTERN FILES

KINDS	Packaged 1 Doz. to a Box						Packaged 1/2 Doz. to a Box					
	4"	5"	5 1/2"	6"	7"	8"	10"	12"	14"	16"	18"	
Band Saw Blunt						X	X					
Band Saw Blunt Slim						X	X					
Cant Saw File					X		X	X	X	X	X	
Casting Flat					X		X	X	X	X	X	
Casting Half Round					X		X	X	X	X	X	
Cross Cut Great American					X		X	X	X	X	X	
Double Ender						(also 9")	X	X	X	X	X	
Flat Bastard					X		X	X	X	X	X	
Flat 2nd Cut					X		X	X	X	X	X	
Flat Smooth					X		X	X	X	X	X	
Half Round Bastard				X			X	X	X	X	X	
Half Round Second Cut				X			X	X	X	X	X	
Half Round Smooth				X			X	X	X	X	X	
Hand Bastard				X			X	X	X	X	X	
Hand Second Cut				X			X	X	X	X	X	
Hand Smooth				X			X	X	X	X	X	
Knife Bastard				X			X	X	X	X	X	
Knife Second Cut				X			X	X	X	X	X	
Knife Smooth				X			X	X	X	X	X	
Lead Float Flat					X		X	X	X	X	X	
Lead Float Half Round				X			X	X	X	X	X	
Mill Bastard		X					X	X	X	X	X	
Mill Second Cut		X					X	X	X	X	X	
Mill Smooth		X					X	X	X	X	X	
Mill 1 R.E. Bastard		X										
Mill 2 R.E. Bastard		X										
Multi-Duty			X									
Multi-Metal				X	X	X						
Pillar Bastard		X										
Pillar Second Cut		X										
Pillar Smooth		X										
Round Bastard	X	X	X	X	X	X	X	X	X	X	X	X
Round Second Cut	X	X	X	X	X	X	X	X	X	X	X	X
Round Smooth	X	X	X	X	X	X	X	X	X	X	X	X
Shear Tooth Flat		X	X	X	X	X	X	X	X	X	X	X
Shear Tooth Half Round		X	X	X	X	X	X	X	X	X	X	X
Square Bastard	X	X	X	X	X	X	X	X	X	X	X	X
Square Second Cut	X	X	X	X	X	X	X	X	X	X	X	X
Square Smooth	X	X	X	X	X	X	X	X	X	X	X	X
Taper Regular			X	X	X	X	X	X	X	X	X	X
Taper Slim	X	X	X	X	X	X	X	X	X	X	X	X
Taper Extra Slim	X	X	X	X	X	X	X	X	X	X	X	X
Taper Double Extra Slim	X	X	X	X	X	X	X	X	X	X	X	X
Testing Mill Bastard				X	X	X	X	X	X	X	X	X
Three Square Bastard				X	X	X	X	X	X	X	X	X
Three Square Second Cut				X	X	X	X	X	X	X	X	X
Three Square Smooth				X	X	X	X	X	X	X	X	X
Warding Bastard	X	X	X	X	X	X						
Warding Second Cut	X	X	X	X	X	X						
Warding Smooth	X	X	X	X	X	X						

SUPERFINE SWISS PATTERN FILES

ALSO AVAILABLE:


Barrette	Joint-Square Edge	Pippin
Crochet	Knife	Round
Crossing	Pillar	Round Straight
Equaling	Pillar Narrow	Slitting
Half Round</		

DISSTON STEEL TAPE RULES

AND REPLACEMENT BLADES

STAR CHIEF

**Extra length
3/8" wide white tape**



The heavy-duty steel tape that operates easily, lasts for years. Jet black markings on snow white tape—graduated in 1/8ths with stud markings every 16 inches. Tempered tool steel end hook has nail hole at zero mark. Crank folds flush into case when not in use. Anti-backlash. Sturdy non-scuff, die cast, chrome finish, "take-apart" case makes blade replacement easy. Square stand-up base.

STAR CHIEF

No.	Length	Weight per Doz.
525	25 ft.	7.44 lbs.
550	50 ft.	12 lbs.
5100	100 ft.	21 lbs.

REPLACEMENT TAPES

No.	Length	Weight per Doz.
25W		3.5 lbs.
50W		6.5 lbs.
100W		13 lbs.


Packaged in individual carton, 2 in a sleeve.

NOTE: 2" long spike on ball available in place of end hook on any Star Chief tape.

Also available in transparent Display-Pak for pegboard. Packed 10 to a box.

SUPER CHIEF

3/4" wide white blade



Rigid blade permits one-man vertical measurements of 16 feet. Bold black markings on snow white surface. Graduated in 16ths. Tuck-away rewind crank. No backlash. Swing Tip. Quick blade change. Sturdy die cast case with satiny chrome finish. Stand-up base. Four assembly screws strengthen case. Weighs less than some rules of shorter length.


SUPER CHIEF

No.	Length	Weight per Doz.	List Price	No.	Weight per Doz.	List Price
416	16 ft.	5.5 lbs.	\$4.00	16W	2.75 lbs.	\$2.00

Packaged in individual cartons, 6 rules in a box.

SPEED CHIEF

**Extra length
3/8" wide white tape**



BIG CHIEF

3/4" wide white blade

Extra rigid blade designed for long overhead and reach-in measurements. Bold black markings on snow white blade. Graduated in 16ths with stud markings every 16 inches. Converts inches to feet at a glance. Swing Tip. Crack-proof, rust-proof blade surface and markings. Sturdy chrome plated case. The lightest 3/4" wide rule on the market. Stand-up base.



BIG CHIEF

No.	Length	Weight per Doz.	No.	Weight per Doz.
3310	10 ft.	4.0 lbs.	10X	2 lbs.
3312	12 ft.	4.25 lbs.	12X	2.125 lbs.


Packaged in individual cartons, 6 rules in a box.

Also available in transparent Display-Pak for pegboard. Packed 10 to a box.

WHITE CHIEF

1/2" wide white blade

Graduated in 16ths and in 32nds for first 6". Stud marks every 16 inches. Swing Tip blade is rust-proof, crack-proof. Sturdy zinc die cast case with satiny chrome plate. Two assembly screws for shock-proof durability. Stand-up base.



WHITE CHIEF

No.	Length	Weight per Doz.	No.	Weight per Doz.
326	6 ft.	3.0 lbs.	6W	1 lb.
328	8 ft.	3.5 lbs.	8W	1 lb.
3210	10 ft.	3.75 lbs.	10W	1.25 lbs.

Packaged in individual cartons, 6 rules in a box.

Also available in transparent Display-Pak for pegboard. Packed 10 to a box.

White live steel tape with jet black 1/8 graduated double edge markings including 16" stud markings. Tempered tool steel end hook has nail hole at zero mark. Anti-backlash and non-jamming. Sturdy chrome plated, "take apart" case permits easy, fast cleaning and tape replacement. Gears are self-lubricating and enclosed. Square stand-up base.

No.	Length	Wt. 1 doz.
650	50 ft.	15.87 lbs.
6100	100 ft.	24.87 lbs.

No.	Wt./doz.
50W	6.5 lbs.
100W	13 lbs.

WHITE CHIEF RIGHT HAND RULE

½" wide white blade



WHITE CHIEF RIGHT HAND

No.	Length	Weight per Doz.
3210RH	10 ft.	3.75 lbs.

Packaged in individual cartons, 6 in a box.

Also available in transparent Display-Pak for pegboard. Packed 10 to a box.

Designed for people who want to hold rule in left hand, for easy lay-outs or to make pencil notations with right hand. Snow white blade, jet black markings. Graduated in 16ths and in 32nds for first 6". Has all the fine features of the White Chief rule.


REPLACEMENT BLADES

No.	Length	Weight per Doz.
10WRH		1.25 lbs.

CHIEFTAIN

¼" wide white blade

Mighty midget. Designed for flat, no-bulge convenience in pocket or handbag. Sturdy chrome plated case. Swing Tip. Blade graduated in 16ths and in 32nds for first 6"; in quarters and 8ths on the other. Case 1½" square with stand-up base.



CHIEFTAIN

No.	Length	Weight per Box of 10
76	6 ft.	1.5 lbs.
78	8 ft.	1.75 lbs.

REPLACEMENT BLADES


No.	Length	Weight per Box of 10
6S		.35 lb.
8S		.40 lb.

Packaged in individual cartons, 10 in a box.
Also in Counter Display box of 6.

WHITE CHIEF ENGINEERS RULE

½" wide white blade

All the fine features of the White Chief, including jet black markings on snow white blade, with markings specially designed for engineers. Graduated 10ths and 100ths of feet on one edge. Standard rule graduated in 16ths on the other.



WHITE CHIEF ENGINEERS RULE

No.	Length	Weight per Doz.
328TE	8 ft.	3.5 lbs.
3210TE	10 ft.	3.75 lbs.

Packaged in individual cartons, 6 in a box.

REPLACEMENT BLADES

No.	Length	Weight per Doz.
8WTE		1 lb.
10WTE		1.25 lbs.

LI'L DEVIL PRINTERS RULE

½" wide white blade

Designed for printers, by printers. Top of snow white blade has one edge graduated in agate, the other in picas. Reverse side of blade is standard rule, graduated in 16ths and in 32nds, for first 6". Swing Tip. Stand-up base.



LI'L DEVIL PRINTERS RULE

No.	Length	Weight per Doz.
24	4 ft.	2.75 lbs.

Packaged in individual cartons, 6 in a box.


REPLACEMENT BLADES

No.	Length	Weight per Doz.
4A		.75 lb.

BIG CHIEF LOG SCALES

¾" wide white blade

This pocket pair—with all the fine features of the Big Chief—can quickly determine board foot content of logs from 6 to 40 feet long, up to 10 feet in diameter. Calibrated on Scribner Decimal C system. Diameter scale included in markings on upper edge.



BIG CHIEF LOG SCALES

No.	Measures Weight Logs from per Doz.
33101	6 to 18 ft. 4.0 lbs.
33102	20 to 40 ft. 4.00 lbs.

REPLACEMENT BLADES

No.	Weight per Doz.
10L1	1.75 lbs.
10L2	1.75 lbs.

Packaged in individual cartons, 6 in a box.

Also available in transparent Display-Pak for pegboard. Packed 10 to a box.

REPLACEMENT INNERSPRINGS

Steel innersprings for quick, easy replacement in Disston-Carlson rules.



REPLACEMENT INNERSPRINGS

No.	For Use in Rule No.	Weight per Doz.
1	226, 226ME, 22M, 326, 326ME, 32M,	.75 lb.
2	228 228ME,	.75 lb.
3	2210, 3210, 3210RH, 3210TE, 3210D	1.0 lb.
4	3310, 33101, 33102	1.25 lb.
5	3312	1.25 lb.
6	328, 328TE, 328ME, 328D	1.0 lb.

METRIC AND INCHES

½" wide blade

Disston-Carlson fine rules in various models with blades graduated on lower edge in metric. Upper edge standard inch rule, graduated in 16ths.

METRIC AND INCHES			REPLACEMENT BLADES			
No.	Length	Weight per Doz.	No.	Weight per Doz.	Meter Lengths	
Chief	226ME	6 ft.	3.12 lbs.	6ME	1 lb.	2 meter—½" etch
Chief	228ME	8 ft.	3.25 lbs.	8ME	1 lb.	2½ meter—½" etch
White Chief	326ME	6 ft.	3.12 lbs.	6WME	1 lb.	2 meter—½" white
White Chief	328ME	8 ft.	3.5 lbs.	8WME	1 lb.	2½ meter—½" white

Packaged in individual cartons, 6 in a box.

SPECIAL GRADUATED RULES MADE TO SPECIFICATIONS

METRIC ONLY

½" wide blade

Three models of Disston-Carlson rules with blades graduated all-metric on both edges.

METRIC ONLY			REPLACEMENT BLADES			
No.	Length	Weight per Doz.	No.	Weight per Doz.	Meter Lengths	
Chief	22M	2M	3.12 lbs.	2M	1 lb.	2 meter—etch
White Chief	32M	2M	3.12 lbs.	2WM	1 lb.	2 meter—white

Packaged in individual cartons, 6 in a box.

DECIMAL

½" wide white blade

Two models with all White Chief features. Blade markings graduated in 20ths of inches (.050 divisions). For use on engineering drawings and in shops.

DECIMAL			REPLACEMENT BLADES		
No.	Length	Weight per Doz.	No.	Weight per Doz.	
White Chief	328D	8 ft.	3.5 lbs.	8WD	1 lb.
White Chief	3210D	10 ft.	3.75 lbs.	10WD	1.25 lb.

Packaged in individual cartons, 6 rules to a box.


The new DISSTON "DRAGON"

The only Electric Shrubbery and Hedge Trimmer

with a fixed all-position handle

Now Disston offers you a bright new, light new electric shrubbery and hedge trimmer. The Disston Dragon has exclusive features especially designed to speed shrub and hedge care with ease and safety. And it's engineered for the long service that builds customer satisfaction.

For complete line of lawn and garden tools see Disston garden tool catalog.




TECHNICAL FEATURES

- Blade length — 13½"
- Durable Die-cast Housing
- Blade width — 2"
- Ball bearing motor
- Overall length — 25"
- Spiroid gear system
- 115 A.C.-D.C. Motor
- Shipping weight 6 lbs.

DISSTON "ACCU-RULE" RULES

NEW LINE OF STEEL TAPE RULES PACKED WITH DISSTON QUALITY FEATURES

Lightweight, durable case • Swing tip • easy-to-read markings
• 10 second blade change • "Live steel" blades



New "accu-rule" rules contain more features than many more expensive models. Durable, high-quality, chrome-plated cases. Brilliant tangerine nameplates—Disston's exclusive swing tip for accurate inside and butt measurements withstand 100 lb. pull. Permanent, clear sight blades, with convenient, clear 16" markings. "Long reach" blades for one-man vertical measurements. Quick, easy blade change. Individual display-type packages with selling copy and illustrations make these rules impulse items. Available in 6', 8', and 10' lengths, $\frac{1}{2}$ " wide, and 10' and 12' lengths, $\frac{3}{4}$ " wide.

"ACCU-RULE"		
No.	Length	Wt./10
426	6'	2.5 lbs.
428	8'	2.87 lbs.
4210	10'	3.12 lbs.
4310	10'	3.32 lbs.
4312	12'	3.62 lbs.

Packed in individual cartons, 10 to a box

REPLACEMENT BLADES	
No.	Wt./6
6W A	1 lb.
8W A	1 lb.
10W A	1.25 lbs.
10X A	2 lbs.
12X A	2.125 lbs.


TO HELP SELL NEW "ACCU-RULE" RULES

NEW COLORFUL, PROMOTIONAL RULE DISPLAY


- Display free with assortment of 22 "accu-rule" rules
- Size, Utility, self-service flexibility of display approved by NRHA
- "accu-rule" display assortment included in NRHA turnover handbook
- $8\frac{1}{2}$ " x 7" x 18"—Require minimum space
- Hang on wall—stand on counter
- Each display contains hard-selling copy
- Shipping wt. of display with rules; 8 lbs.

Number and sizes of 22 tapes on each display


Quan.	No.	Length	Width
3	426	6'	$\frac{1}{2}$ "
6	428	8'	$\frac{1}{2}$ "
6	4210	10'	$\frac{1}{2}$ "
4	4310	10'	$\frac{3}{4}$ "
3	4312	12'	$\frac{3}{4}$ "




FARMore* GATE KITS



The FARMore Gate kit is packaged in an attractive compact carton which contains all necessary special hardware, including welded capped steel gate ends (48" high) drop forged lag screws, latch, lock washers, and bolts, — *everything* except the cross member and fence wires which depend on your individual requirements. Detailed printed instructions for assembling and hanging are also included.



*A product of Cleveland Hardware & Forging Company



NO SPAN LIMIT


Since the weight load of the gate is divided equally between the two gate posts, there is no excessive leverage on the hinge post. This makes it possible to build longer gates. Ideal for the size gates needed to accommodate larger farm equipment now in use.

NO SCRABE OR DRAG

The non-rigid principle and light weight permit easy operation without scab or drag on the sweep end. No opening or closing problem in deep snow.

NO STRAIN ON POST

There can be no excessive strain on the hinge post because the sweep end of the FARMore Gate, whether open or closed, supports its own weight at all times. Posts suitable for fence construction are usually suitable for FARMore Gate posts. No special heavy posts needed.



Disston—World Famous Name in Tools

For over 120 years, the name Disston has earned renown the world over for craftsmanship and quality of product. Since the acquisition of Disston by H.K. Porter Company, Inc., many modern machines have been acquired to add to Disston's high quality merchandise the advantage of fast, smooth, efficient operations, designed to bring its customers the ultimate in high grade tools at a competitive price.

Marketing methods have also been modernized. Up-to-date promotional displays, packaging and product design, with attendant hard hitting trade and consumer advertising, direct mail and publicity are all part of the Disston plan of moving goods to the consumer to the benefit of their customers.

Other products manufactured by Disston Division are:

Industrial Metal Cutting Tools

- Files
- Hack Saws
- Circular Saws
- Metal Band

Industrial Wood Cutting Tools

- Solid Tooth Circular Saws
- Inserted Tooth Circular Saws
- Wide Band Saws
- Narrow Band Saws
- Carbide Tipped Saws
- Cutterheads
- Planes, Veneer, Paper, Chipper Knives

Garden Tools

- Rakes
- Pruners
- Grass, Hedge Shears
- Loppers
- Pruning Saws
- Grass Hooks
- Slashers
- Electric Hedge Trimmer

For further details or literature write Disston Division, H.K. Porter Company Inc., Phila. 35, Pa.

**All Prices are f.o.b. Factory
Philadelphia 35, Pa.**

Our responsibility ceases when merchandise is delivered to the transportation company.

Freight allowance will be determined by classification of Product.

Where an allowance is made on cost of transportation, DISSTON reserves the right to ship via the cheapest route. Where instructions are issued by the customer increasing transportation cost, DISSTON will allow only the cheapest rate.

BRANCH WAREHOUSES

3901 Highland Avenue
Charlotte, N.C.

1100 West Washington Blvd.
Chicago 7, Illinois

1555-65 Fourth Avenue, South
Seattle 24, Washington

403 E. Washington Blvd.
Los Angeles 15, California

550 Beale Street
San Francisco, California

SALES OFFICES

300 Park Avenue
New York, New York

3901 Highland Avenue
Charlotte, N.C.

1100 West Washington Blvd.
Chicago 7, Illinois

1555-65 Fourth Avenue, South
Seattle 24, Washington

403 E. Washington Blvd.
Los Angeles 15, California

550 Beale Street
San Francisco, California

Unruh & Milnor Streets
Philadelphia 35, Pennsylvania

DIVISIONS OF
H. K. PORTER COMPANY, INC.

- **CONNORS STEEL, Birmingham**
- **DELTA-STAR ELECTRIC, Chicago**
- **DISSTON, Philadelphia**
- **FORGE & FITTINGS, Roselle, N. J.**
- **LESCHEN WIRE ROPE, St. Louis**
- **MOULDINGS, Detroit**
- **NATIONAL ELECTRIC, Pittsburgh**
- **REFRACTORIES, Pittsburgh**
- **RIVERSIDE-ALLOY METAL, Riverside, N. J.**
- **THERMOID, Philadelphia**
- **VULCAN-KIDD STEEL, Aliquippa, Pa.**
- **H. K. PORTER COMPANY (CANADA) LTD.**

DISSTON DIVISION



*H.K. PORTER COMPANY INC.
PHILADELPHIA 35, PA.*

DISSTON HAND SAWS

D-95

Catalog Page 1	Lgth.	Points	Points	Each
		Cross-cut	Rips	
	26"	8	5½	\$7.30
	26"	10-11-12		7.30

Packed two saws in corrugated shipping container; 10 saws (5 cartons of 2) per outer corrugated shipping container.

D-23

Catalog Page 1	Lgth.	Points	Points	Each
		Cross-cut	Rips	
	26"	7	5½	\$6.50
	26"	8		6.50
	26"	9		6.50
	26"	10		6.50
	26"	11		6.50
	26"	12		6.50
	24"	8		6.50
	24"	10		6.50
	20"	10		6.17
	16"	11		4.64

Packed two saws in corrugated shipping container; 10 saws (5 cartons of 2) per outer corrugated shipping container.

D-8

Catalog Page 1	Lgth.	Points	Points	Each
		Cross-cut	Rips	
	26"	8	5½	\$5.84
	26"	10		5.84
	22"	10		5.31
	20"	10		5.31

Packed two saws in corrugated shipping container; 10 saws (5 cartons of 2) per outer corrugated shipping container.

D-7

Catalog Page 1	Lgth.	Points	Points	Each
		Cross-cut	Rips	
	26"	8	5½	\$5.50
	26"	10		5.50

Packed two saws in corrugated shipping container; 10 saws (5 cartons of 2) per outer corrugated shipping container.

M-1

Catalog Page 1	Lgth.	Points	Each
		Cross-cut	
	26"	8	\$4.97
	26"	10	4.97

Packed two saws in corrugated shipping container; 10 saws (5 cartons of 2) per outer corrugated shipping container.

R-1

Catalog Page 1	Lgth.	Points	Points	Each
		Cross-cut	Rips	
	26"	8	5½	\$3.97
	26"	8		3.97
	26"	10		3.97
	20"	10		3.51

Packed two saws in corrugated shipping container; 10 saws (5 cartons of 2) per outer corrugated shipping container.

C-1

Catalog Page 1	Lgth.	Points	Each
		Cross-cut	
	26"	8	\$3.17
	20"	10	2.84
	16"	10	2.17

Packed two saws in corrugated shipping container; 10 saws (5 cartons of 2) per outer corrugated shipping container.

T-1

Catalog Page 2	Lgth.	Points	Each
		Cross-cut	
	26"	8	\$2.17

Packed five saws per corrugated shipping container; 10 saws (2 cartons of 5) per outer corrugated shipping container.

METAL CUTTING HAND SAW

No. 240

Catalog Page 2	Complete Saw		
	20"	15	\$4.80 ea.
Packed 1/6 dozen in box			

CHALLENGER

HAND SAW

Catalog Page 2	Lgth.	Points	Points	Each
		Cross-cut	Rips	
	26"	8		\$1.50
	20"	10		1.40

Packed 10 saws in corrugated shipping container

HANDLES

Catalog Page 2	Size	Each
	D-95	\$2.34
	D-23	1.67
	D-23	1.67
	D-23	1.51
	D-8	1.44
	D-8	1.44
	D-8	1.33
	D-8	1.33
	D-7	1.33
	M-1	1.20
	R-1	1.13
	R-1	1.07
	C-1	1.07
	C-1	1.00
	C-1	1.00
	T-1	.97

Packed 1/3 dozen in box

HAND SAW HANDLE

No. 66

Catalog Page 2	Size	Each
	26"	\$0.93 ea.

Packed 1 dozen in box

SAW SCREWS

Catalog Page 2	Gross	
	No. 1	\$8.33
	No. 3	11.60

Packed 1 dozen in box

HAND SAW

MERCHANDISER

Catalog Page 2	D-57	\$74.60

BACK SAWS

No. 4

Catalog Page 3	Lgth.	
	12"	Complete Saw \$4.31 ea.
	12"	Handles Only 1.33 ea.
	14"	Complete Saw 4.64 ea.
	14"	Handles Only 1.33 ea.

Packed 1/3 dozen in box

Handles packed 1/3 dozen in box

MITRE BOX SAWS

No. 4

Catalog Page 3	Width	Under Back	Complete Saw
	Lgth.		
	22"	4"	\$10.86 ea.
	24"	4"	11.28 ea.
	26"	4"	11.73 ea.
	28"	5"	12.60 ea.
	30"	6"	14.13 ea.

Packed 1/12 dozen in box

DOVETAIL SAWS

No. 68

Catalog Page 3	Lgth.	Complete Saw
	10"	\$2.93 ea.

Packed 1/6 dozen in box

COPING SAWS

No. 10

Catalog Page 3	Lgth.	
	6¾"	Complete Saw \$0.60 ea.
	6¾"	Blades Only 2.80 gross

Packed 1/2 dozen in box

Blades packed 1 dozen in envelope;

1 gross in box

PLUMBER'S SAW

No. 10

Catalog Page 4	Lgth.	
	18"	Complete Saw \$4.84 ea.

Packed 1/2 dozen in box

BUTCHER SAWS

K-070

Catalog Page 4	Lgth.	
18"	Complete Saw	\$2.40 ea.
	Handles Only	\$0.87 ea.
20"	Complete Saw	\$2.53 ea.
	Handles Only	\$0.87 ea.
22"	Complete Saw	\$2.67 ea.
	Handles Only	\$0.87 ea.
24"	Complete Saw	\$2.87 ea.
	Handles Only	\$0.87 ea.

Packed 1/3 dozen in box
Handles packed 1/3 dozen in box

BUTCHER SAW BLADES

No. 125

(1/2", 5/8", 3/4" WIDE)

Catalog Page 4	Lgth.	Width	Blades Only
18"	1/2"		\$0.33 ea.
18"	5/8"		\$0.33 ea.
18"	3/4"		\$0.33 ea.
20"	1/2"		\$0.35 ea.
20"	5/8"		\$0.35 ea.
20"	3/4"		\$0.35 ea.
22"	1/2"		\$0.39 ea.
22"	5/8"		\$0.39 ea.
24"	1/2"		\$0.40 ea.
24"	5/8"		\$0.40 ea.
24"	3/4"		\$0.40 ea.
**26"	5/8"		\$0.45 ea.
**26"	3/4"		\$0.45 ea.

Packed 1 dozen in bundle
**Available in 5/8" and 3/4" only

No. 50
(IN COILS)

Catalog Page 4	Width	Lgth.	Blades Only per 100 ft.
3/8"	25 ft.		\$15.20
5/8"	50 ft.		15.20
1/2"	25 ft.		16.26
1/2"	50 ft.		16.26
5/8"	25 ft.		18.40
5/8"	50 ft.		18.40
3/4"	25 ft.		19.60
3/4"	50 ft.		19.60

Packed in boxes of 25 or 50 ft.

No. 55
(IN COILS)

Catalog Page 4	Width	Lgth.	Blades Only per 100 ft.
5/8"	25 ft.		\$15.54
5/8"	50 ft.		15.54
3/4"	25 ft.		17.60
3/4"	50 ft.		17.60

Packed in boxes of 25 or 50 ft.

KITCHEN SAW

No. 16

Catalog Page 5	Length	Price ea.
14"		\$1.33

Packed 1 saw in box; 10 boxes in a shipping container

BUTCHER SAW
BLADE PUNCH

No. 2

Catalog Page 5		\$2.20 ea.
	Packed 1 in box	

COMPASS SAWS

No. 2

Catalog Page 5	Lgth.	
12"	Complete Saw	\$1.84 ea.
12"	Blades Only	0.87 ea.
	Handles Only	\$0.97 ea.
Packed 1/2 dozen in box		
Blades packed 1 dozen in box		
Handles packed 1/3 dozen in box		

No. 4

Catalog Page 5	Lgth.	
10"	Blades Only	\$0.73 ea.
12"	Complete Saw	1.84 ea.
12"	Blades Only	0.87 ea.
14"	Complete Saw	1.97 ea.
14"	Blades Only	1.00 ea.
	Handles Only	\$0.97 ea.
Packed 1/3 dozen in box		
Not assembled		
Blades packed 1 dozen in box		
Handles packed 1/3 dozen in box		

No. 8

Catalog Page 5	Lgth.	
12"	Complete Saw	\$1.91 ea.
12"	Blades Only	0.97 ea.
	Handles Only	\$0.97 ea.
Packed 1/2 dozen in box		
Blades packed 1 dozen in box		

K-302

Catalog Page 6	Lgth.	
12"	Complete Saw	\$1.17 ea.
12"	Blades Only	0.51 ea.
	Handles Only	\$0.67 ea.
Packed 1/2 dozen in box		
Blades packed 1 dozen in box		

K-304

Catalog Page 6	Lgth.	
12"	Complete Saw	\$1.17 ea.
12"	Blades Only	0.51 ea.
14"	Complete Saw	1.24 ea.
14"	Blades Only	0.57 ea.
	Handles Only	\$0.67 ea.
Packed 1/3 dozen in box		
Not assembled		
Blades packed 1 dozen in box		
Handles packed 1/3 dozen in box		

No. 402

Catalog Page 6	Lgth.	
12"	Complete Saw	\$0.91 ea.
	Packed 1/2 dozen in box	

KEYHOLE SAWS

No. 15

Catalog Page 6	Lgth.	
10"	Complete Saw	\$1.17 ea.
10"	Blades Only	0.67 ea.
12"	Complete Saw	1.27 ea.
12"	Blades Only	0.73 ea.
	Packed 1/2 dozen in box	

No. 12

Catalog Page 6	Lgth.	
10"	Complete Saw	\$0.91 ea.
10"	Blades Only	0.44 ea.
	Packed 1/2 dozen in box	

NESTS OF SAWS

No. 101

Catalog Page 6	Lgth.	
12"	Complete Saw	\$2.33
Lgth.	Blades Only	
12"	101-M	0.44 ea.
12"	101-MC	0.44 ea.
12"	101-W	0.44 ea.
	Handles Only	\$1.33 ea.
Packed 1/3 dozen	complete saws in corrugated	
box (each mounted on card)		

No. 7

Catalog Page 7	Lgth.	
10"	Complete Saw	\$3.51 ea.
Lgth.	Blades Only	
10"	Keyhole	\$0.67 ea.
14"	Compass	0.87 ea.
14"	Nail	1.00 ea.
	Handles Only	\$0.97 ea.
Packed 1/3 dozen	in box	
Handles packed 1/3 dozen	in box	

No. 60

Catalog Page 7	Lgth.	
10"	Complete Saw	\$3.73 ea.
Lgth.	Blades Only	
10"	Keyhole	\$0.67 ea.
14"	Compass	0.87 ea.
18"	Plumber	1.27 ea.
	Handles Only	\$0.97 ea.
Packed 1/3 dozen	in box	
Handles packed 1/3 dozen	in box	

HACK SAW FRAMES

No. 368

Catalog Page 7	Length	Complete Saw
10", 12" adj.		\$2.33 ea.
Packed 1 in box; 10 in shipping carton		

No. 348

Catalog Page 7	Length	Complete Saw
10", 12" adj.		\$1.33 ea.
Packed 1 in box; 30 in shipping carton		

No. 338

Catalog Page 7	Length	Complete Saw
10", 12" adj.		\$1.00 ea.
Packed 1 in box; 30 in shipping carton		

No. 328

Catalog Page 8	Length	Complete Saw
10", 12" adj.		\$0.67 ea.
Packed 1 in envelope; 30 in shipping carton		

HARDWARE DEALER COST SHEET

3

HACK SAW BLADES DURAFLEX (HAND)

Catalog Page 8	Number	Teeth			Net Price Per 100 Blades	Weight per 100 Blades	
		Length Inches	per Inch	Thick- ness Inches			
	F1018	10	18	.025	1/2	\$11.20	3-12
	F1024	10	24	.025	1/2	11.20	3-12
	F1032	10	32	.025	1/2	11.20	3-12
	F1214	12	14	.025	1/2	13.79	4-4
	F1218	12	18	.025	1/2	13.79	4-4
	F1224	12	24	.025	1/2	13.79	4-4
	F1232	12	32	.025	1/2	13.79	4-4

Packed 100 to a box

DI-MOL (HAND)

Catalog Page 8	Number	Teeth			Net Price Per 100 Blades	Weight per 100 Blades	
		Length Inches	per Inch	Thick- ness Inches			
	D1018	10	18	.025	1/2	\$43.81	3-15
	D1024	10	24	.025	1/2	43.81	3-15
	D1032	10	32	.025	1/2	43.81	3-15
	D1214	12	14	.025	1/2	52.40	4-10
	D1218	12	18	.025	1/2	52.40	4-10
	D1224	12	24	.025	1/2	52.40	4-10
	D1232	12	32	.025	1/2	52.40	4-10

Packed 100 to a box

DI-MOL (HEAVY DUTY HAND AND LIGHT POWER)

Catalog Page 8	Number	Teeth			Net Price Per 10 Blades	Weight per 10 Blades	
		Length Inches	per Inch	Thick- ness Inches			
	D-1214-3	12	14	.032	5/8	\$7.80	12
	D-1218-3	12	18	.032	5/8	7.80	12

Packed 10 per box

SUPER-SAFE (HAND)

Catalog Page 8	Number	Teeth			Net Price Per 100 Blades	Weight per 100 Blades	
		Length Inches	per Inch	Thick- ness Inches			
	S1018	10	18	.025	1/2	\$43.81	4-4
	S1024	10	24	.025	1/2	43.81	4-4
	S1032	10	32	.025	1/2	43.81	4-4
	S1214	12	14	.032	5/8	52.40	4-12
	S1218	12	18	.032	5/8	52.40	4-12
	S1224	12	24	.032	5/8	52.40	4-12
	S1232	12	32	.032	5/8	52.40	4-12

Packed 100 to a box

HIGH SPEED STEEL (HAND)

Catalog Page 8	Number	Teeth			Net Price Per 100 Blades	Weight per 100 Blades	
		Length Inches	per Inch	Thick- ness Inches			
	H-1018	10	18	.025	1/2	\$51.91	4-2
	H-1024	10	24	.025	1/2	51.91	4-2
	H-1032	10	32	.025	1/2	51.91	4-2
	H-1214	12	14	.025	1/2	61.53	4-13
	H-1218	12	18	.025	1/2	61.53	4-13
	H-1224	12	24	.025	1/2	61.53	4-13
	H-1232	12	32	.025	1/2	61.53	4-13

Packed 100 to a box

HIGH SPEED (HEAVY DUTY HAND AND LIGHT POWER)

Catalog Page 8	Number	Teeth			Net Price Per 10 Blades	Weight per 10 Blades	
		Length Inches	per Inch	Thick- ness Inches			
	H-1214-3	12	14	.032	5/8	\$8.30	12
	H-1218-3	12	18	.032	5/8	8.30	12

Packed 10 per box

CHROMOL (HAND)

Catalog Page 8	Number	Teeth			Net Price Per 100 Blades	Weight per 100 Blades	
		Length Inches	per Inch	Thick- ness Inches			
	C-1081	10	18	.025	1/2	\$11.20	3-12
	C-1024	10	24	.025	1/2	11.20	3-12
	C-1032	10	32	.025	1/2	11.20	3-12
	C-1214	12	14	.025	1/2	13.79	4-4
	C-1218	12	18	.025	1/2	13.79	4-4
	C-1224	12	24	.025	1/2	13.79	4-4
	C-1232	12	32	.025	1/2	13.79	4-4

Packed 100 to a box

SUPER-SAFE (POWER)

Catalog Page 8	Number	Teeth			Length Inches	per Inch	Thick- ness Inches	Width Inches	per 10 Blades	Net Price per 10 Blades	Weight per 10 Blades
		Number	Length Inches	per Inch							
	S-1406-6	14	6	.062	1 1/4				\$24.40	3-3	
	S-1410-6	14	10	.062	1 1/4				24.40	3-3	
	S-1403-7	14	3	.075	1 1/2				29.80	4-9	
	S-1404-7	14	4	.075	1 1/2				29.80	4-9	
	S-1704-6	17	4	.062	1 1/4				27.40	3-15	
	S-1706-6	17	6	.062	1 1/4				27.40	3-15	
	S-1710-6	17	10	.062	1 1/4				27.40	3-15	
	S-1404-5	14	6	.075	1 1/2				18.70	2-5	
	H-1406-6	14	6	.062	1 1/4				26.30	3-8	
	H-1410-6	14	10	.062	1 1/4				26.30	3-8	
	H-1403-7	14	3	.075	1 1/2				35.10	5-0	
	H-1404-7	14	4	.075	1 1/2				35.10	5-0	
	H-1406-7	14	6	.075	1 1/2				35.10	5-0	
	H-1710-5	17	10	.050	1				22.80	2-11	
	H-1714-5	17	14	.050	1				22.80	2-11	
	H-1704-6	17	4	.062	1 1/4				31.90	4-3	
	H-1706-6	17	6	.062	1 1/4				31.90	4-3	
	H-1710-6	17	10	.062	1 1/4				31.90	4-3	
	H-1803-7	18	3	.075	1 1/2				45.20	6-6	
	H-1806-7	18	6	.075	1 1/2				45.20	6-6	
	H-1803-8	18	3	.088	1 3/4				58.00	9-0	
	H-1806-8	18	6	.088	1 3/4				58.00	9-0	
	H-2103-8	21	3	.088	1 3/4				67.80	10-5	
	H-2104-8	21	4	.088	1 3/4				67.80	10-5	
	H-2106-8	21	6	.088	1 3/4				67.80	10-5	
	H-2403-8	24	3	.088	1 3/4				77.30	11-14	
	H-2406-8	24	6	.088	1 3/4				77.30	11-14	
	H-2403-0	24	3	.100	2				96.30	15-3	
	H-2404-0	24	4	.100	2				96.30	15-3	
	H-2406-0	24	6	.100	2				96.30	15-3	

Packed 10 in a box

DI-MOL (POWER)

Catalog Page 9	Number	Teeth			Length Inches	per Inch	Thick- ness Inches	Width Inches	per 10 Blades	Net Price per 10 Blades	Weight per 10 Blades
		Number	Length Inches	per Inch							
	D-1210-5	12	10	.050	1				\$13.60	1-14	
	D-1214-5	12	14	.050	1				13.60	1-14	
	D-1410-5	14	10	.050	1						

HARDWARE DEALER COST SHEET

BRICK TROWELS

No. 5

Catalog
Page 9

Length

10"	\$3.33 ea.
11"	3.33 ea.
12"	3.33 ea.

Packed 1/2 dozen in box

No. 10

Catalog
Page 9

Length

9"	\$3.00 ea.
10"	3.33 ea.
11"	3.33 ea.
12"	3.33 ea.

Packed 1/2 dozen in box

No. 12

Catalog
Page 10

Length

10"	\$3.33 ea.
11"	3.33 ea.

Packed 1/2 dozen in box

No. 30

Catalog
Page 10

Length

10"	\$3.33 ea.
11"	3.33 ea.
12"	3.33 ea.

Packed 1/2 dozen in box

No. 32

Catalog
Page 10

Length

8"	\$3.00 ea.
----	------------

Packed 1/2 dozen in box

No. 252

Catalog
Page 10

Length	
9"	\$2.63 ea.
10"	2.63 ea.
11"	2.63 ea.

Packed 1/2 dozen in box

POINTING TROWELS

No. 15

Catalog
Page 10

Length	
4"	\$1.33 ea.
5"	1.33 ea.
6"	1.33 ea.

Packed 1/2 dozen in box

CEMENTER'S TROWELS

No. 68

Catalog
Page 10

Length	
12"	\$3.16 ea.
14"	3.43 ea.
16"	3.90 ea.

Packed 1/2 dozen in box

PLASTERING TROWELS

No. 28

Catalog
Page 11

Length	
10 1/2"	\$3.00 ea.
11"	3.00 ea.

Packed 1/2 dozen in box

No. 38

Catalog
Page 11

Length	
10 1/2"	\$3.00 ea.
11"	3.00 ea.

Packed 1/2 dozen in box

No. 328

Catalog
Page 11

Length	
10 1/2"	\$3.43 ea.
11"	3.43 ea.
11 1/2"	3.43 ea.

Packed in individual boxes

No. 338

Catalog
Page 11

Length	
10 1/2"	\$3.43 ea.
11"	3.43 ea.
11 1/2"	3.43 ea.

Packed in individual boxes

No. 250

Catalog
Page 11

Length	
10 1/2"	\$2.47 ea.
11"	2.47 ea.
11 1/2"	2.47 ea.

Packed 1/2 dozen in box

CABINET SCRAPERS

No. 20

Catalog
Page 11

Size	
2 1/2" x 5"	\$0.28 ea.
3" x 5"	.29 ea.
3" x 6"	.37 ea.

Packed 1 dozen in box

FILE HANDLES

Catalog
Page 12

Number	Length	Per Doz.
No. 1	4 1/4"	\$1.40
No. 2	4 9/16"	1.67
No. 3	4 7/8"	2.00
No. 4	5 5/8"	2.33
2 Nos. 1 & 4		see above
4 Nos. 2 & 3		1.89

Packed 1 dozen same size in box

Also 1 dozen assorted sizes in box

DISSTON DIVISION



H.K. PORTER COMPANY INC.

PRINTED JUNE, 1959

BAND SAWS FOR WOOD

Disston Home Workshop

Catalog Page 12	Part No.	Lghth.	Width	Price Each
	D-48	4' 8"	$\frac{3}{16}$ " $\frac{1}{4}$ " $\frac{3}{8}$ "	\$1.23 1.23 1.29
	D-50	5'	$\frac{3}{16}$ " $\frac{1}{4}$ " $\frac{3}{8}$ "	1.23 1.23 1.29
	D-52	5' 2 $\frac{1}{2}$ "	$\frac{3}{16}$ " $\frac{1}{4}$ " $\frac{3}{8}$ "	1.28 1.28 1.36
	D-56	5' 6"	$\frac{3}{16}$ " $\frac{1}{4}$ " $\frac{3}{8}$ "	1.28 1.28 1.36
	D-511	5' 11"	$\frac{1}{8}$ " $\frac{3}{16}$ " $\frac{1}{4}$ " $\frac{3}{8}$ "	1.35 1.35 1.35 1.43
	D-62	6' 2"	$\frac{3}{16}$ " $\frac{1}{4}$ " $\frac{3}{8}$ "	1.40 1.40 1.49
	D-65	6' 5 $\frac{1}{2}$ "	$\frac{3}{16}$ " $\frac{1}{4}$ " $\frac{3}{8}$ "	1.40 1.40 1.49
	D-66	6' 6"	$\frac{3}{16}$ " $\frac{1}{4}$ " $\frac{3}{8}$ "	1.40 1.40 1.49
	D-67	6' 7"	$\frac{3}{16}$ " $\frac{1}{4}$ " $\frac{3}{8}$ "	1.53 1.53 1.56
	D-611	6' 11"	$\frac{3}{16}$ " $\frac{1}{4}$ " $\frac{3}{8}$ "	1.53 1.53 1.56
	D-76	7' 6"	$\frac{3}{16}$ " $\frac{1}{4}$ " $\frac{3}{8}$ " $\frac{1}{2}$ "	1.57 1.57 1.63 1.68
	D-79	7' 9 $\frac{1}{2}$ "	$\frac{3}{16}$ " $\frac{1}{4}$ " $\frac{3}{8}$ " $\frac{1}{2}$ "	1.59 1.59 1.69 1.75
	D-80	8' 5 $\frac{1}{2}$ "	$\frac{3}{16}$ " $\frac{1}{4}$ " $\frac{3}{8}$ " $\frac{1}{2}$ "	1.64 1.64 1.76 1.81
	D-89	8' 9"	$\frac{3}{16}$ " $\frac{1}{4}$ " $\frac{3}{8}$ " $\frac{1}{2}$ "	1.77 1.77 1.83 1.88
	D-93	9' 3"	$\frac{3}{16}$ " $\frac{1}{4}$ " $\frac{3}{8}$ " $\frac{1}{2}$ "	1.83 1.83 1.89 1.96
	D-96	9' 6 $\frac{3}{4}$ "	$\frac{3}{16}$ " $\frac{1}{4}$ " $\frac{3}{8}$ " $\frac{1}{2}$ "	1.83 1.83 1.96 2.03

WOOD CHISELS

Turning Chisels and Gauges
Disston D-1-S Sets

Catalog Page 12 Complete Set \$10.00

Catalog Page 12	Pattern	Length of Blades	Overall Blades	Each
	1" Skew	6 $\frac{3}{4}$ "	16 $\frac{3}{4}$ "	\$1.40
	1 $\frac{1}{2}$ " Skew	6 $\frac{3}{4}$ "	16 $\frac{3}{4}$ "	1.20
	3 $\frac{1}{4}$ " Gouge	6 $\frac{3}{4}$ "	16 $\frac{3}{4}$ "	1.40
	1 $\frac{1}{2}$ " Gouge	6 $\frac{3}{4}$ "	16 $\frac{3}{4}$ "	1.27
	1 $\frac{1}{4}$ " Gouge	6 $\frac{3}{4}$ "	16 $\frac{3}{4}$ "	1.20
	1 $\frac{1}{2}$ " Round Nose	6 $\frac{3}{4}$ "	16 $\frac{3}{4}$ "	1.20
	1 $\frac{1}{2}$ " Spear Point	6 $\frac{3}{4}$ "	16 $\frac{3}{4}$ "	1.13
	1 $\frac{1}{2}$ " Parting Tool	6 $\frac{3}{4}$ "	16 $\frac{3}{4}$ "	1.20

Packed 1 set in attractive display box

SAW SETS

No. 34

No. 34 Saw Set is made for setting circular and cross-cut saws, 11 gauge and thinner, 6 or less teeth to the inch.

Catalog Page 12 Complete Set \$6.87 ea.
Packed 1 in box

No. 24

No. 24 Saw Set for hand saws, back saws, web saws, narrow band saws, 18 gauge and thinner, 14 points to the inch and coarser.

Catalog Page 12 Complete Set \$3.67 ea.
Packed 1 in box; 30 in shipping carton

No. 32

Catalog Page 13 Complete Set \$1.73 ea.
Packed 1 in box; 30 in shipping carton

SAW FILING CLAMPS

No. 2

Catalog Page 13 Length of Jaw
9 $\frac{1}{2}$ " Complete \$8.00 ea.
Packed 1 in carton

DOCKING SAW

No. 196

Catalog Page 13 Length
30" \$7.33 ea.
Fitted ready for use
Packed 1/3 dozen in box

MINE AND UTILITY SAW

No. 17

Catalog Page 13 Length
2 $\frac{1}{2}$ ' Complete Saw \$5.77 ea.
Fitted ready for use
Packed 1/3 dozen in box

CIRCULAR SAWS

FOR WOOD—SPECIALS

Disston Combination,
Flat Ground

CC Style Tooth

made from 12" to 16" incl.

S Style Tooth
made from 6" to 16" incl.

V Style Tooth

made from 6" to 10" incl.

Diameter	Each
*6"	\$6.56
*8"	8.74
*10"	11.12
*12"	13.88
14"	16.90
16"	20.87

Disston Combination,
Hollow Ground

S Style Tooth

Diameter	Each
*6"	\$9.71
*8"	13.49
*10"	17.28
*12"	21.60
14"	26.25
16"	31.83
18"	37.96
20"	45.32
22"	52.63
24"	58.89

Disston Cut-Off
& Rip, Solid Tooth

Diameter	Each
*6"	\$6.56
*8"	8.74
*10"	11.12
*12"	13.88
14"	16.90
16"	20.87
18"	24.84
20"	29.82
22"	34.75
24"	40.73
26"	47.63
28"	55.67
30"	63.61
32"	72.57
34"	81.46
36"	93.43

*Other than Standard Specs.

DISSTON DISSCHROME NET DEALER

Chrome Plated Saws

No variations from these specifications will be furnished.

This list covers Saws Set and Filed only, does not include Swaged Rip Saws.

Less than 25 saws of assorted sizes including Planer and Dado Sets, plus 10%.

25 or more saws, Net.

FLAT GROUND SAWS

HOLLOW GROUND

Diameter	Center Hole	Flooring L	Cut-Off L	Rip A	COMBINATIONS				Non- Ferrous Metal & Plastic	Price Each	Planer S	Price Each
					U	S	V	W				
4"	1/2" rd.		.88						•			
5 7/8"	1 1/8" Diamond	60	100			44					•	
6"	5/8"—1/2" rd.*	60	100	.40	•	44	.20		•			
	1/2" sq.	60	100				.20					
	1 1/8" Diamond						.16					
6 1/8"	1 1/8" rd.	60	100				.20					
6 1/4"	3/4"—5/8" rd.*		100				.20					
6 1/2"	5/8"	60	100				.20					
	1 1/8" Diamond		100				.44					
7"	1/2" sq.	70	100				.24					
	5/8"—1/2" rd.*		100	.36	•	44	.24					
	3/4"—3/8"	70	100				.24					
7 1/4"	5/8" rd.	70	100				.24					
	1 1/8" Diamond	70	100			44						
	1 1/8" sq.	70	100				.24					
7 3/8"	1 1/8" rd.	70	100				.24					
7 1/2"	5/8" rd.											
	3/4"—5/8" rd.*		100				.24					
8"	5/8"—1/2" rd.*	70	100	.36	•	•	44	.30				
	5/8" rd.*		100	.36	•			.30				
	3/4" rd.		70									
	1 1/8" Diamond											
8 1/4"	5/8" rd.		100				.30					
	1 1/8" Diamond		100			44						
	1 3/8" rd.	70	100				.30					
8 1/2"	1 1/8" sq.		100				.30					
8 5/8"	1 1/8" Diamond					44						
9"	5/8"—1/2" rd.*	100	.36	•	•	44	.36			2.73	•	5.50
9 1/4"	1 3/8" rd.						.36					
10"	3/4"—5/8" rd.*	100	.36	•	•	44	.36					
10 1/4"	3/4" rd.						.36			3.07		7.33
12"	1"—3/4" rd.*	100	.36	•	•	44	.40			4.40	•	10.00
8"	5/8"—1/2" rd. Special Plywood Saw											5.97

Dado Sets No. 3

6"	5/8"—1/2" rd.*	20.67
8"	5/8" rd.*	26.00

DC22 Display

48.68

* Furnished with knock-out bushings to fit either center hole size shown.

• Indicates specifications furnished.

Catalog Pages 13-14-15-16

DISSTON DIVISION



H.K. PORTER COMPANY INC.

PRINTED JUNE, 1959

*STEEL TAPE RULES

STAR CHIEF

No.	Lgth.	Weight Per Doz.	Each
525	25 ft.	7.44 lbs.	\$2.67
550	50 ft.	12 Lbs.	3.33
5100	100 ft.	21 Lbs.	4.67

REPLACEMENT BLADES

No.	Weight Per Doz.	Each
25W	3.5 Lbs.	\$1.33
50W	6.5 Lbs.	2.00
100W	13.0 Lbs.	3.33

Packed in individual cartons, 2 in a sleeve

WHITE CHIEF

No.	Lgth.	Weight Per Doz.	Each
326	6 ft.	3 Lbs.	\$1.20
328	8 ft.	3.5 Lbs.	1.40
3210	10 ft.	3.75 Lbs.	1.53

REPLACEMENT BLADES

No.	Weight Per Doz.	Each
6W	1 Lb.	\$0.63
8W	1 Lb.	.73
10W	1 1/4 Lbs.	.83

Packed in individual cartons, 6 Rules in a box

BIG CHIEF

No.	Lgth.	Weight Per Doz.	Each
3310	10 ft.	4.0 Lbs.	\$2.17
3312	12 ft.	4 1/4 Lbs.	2.33

REPLACEMENT BLADES

No.	Weight Per Doz.	Each
10X	2 Lbs.	\$1.00
12X	2 1/8 Lbs.	1.13

Packed in individual carton, 6 Rules in a box

SUPER CHIEF

No.	Lgth.	Weight Per Doz.	Each
416	16 ft.	5.5 Lbs.	\$2.67

REPLACEMENT BLADES

No.	Weight Per Doz.	Each
16W	2 3/4 Lbs.	\$1.33

Packed in individual carton, 6 Rules in a box

REPLACEMENT INNERSPRINGS

No.	For Use in Rule No.	Weight Per Doz.	Each
1	226, 226ME, 22M, 326, 326ME, 32M	.75 Lb.	\$0.13
2	228, 228ME	.75 Lb.	.20
3	2210, 3210, 3210RH, 3210TE, 3210D	1.0 Lb.	.27
4	3310, 33101, 33102	1.25 Lb.	.27
5	3312	1.25 Lb.	.49
6	328, 328TE, 328ME, 328D	1.0 Lb.	.20

METRIC ONLY

No.	Length	Weight Per Doz.	Each
Chief	22M	2M	3.12 Lbs. \$1.07
White Chief	32M	2M	3.12 Lbs. 1.33

REPLACEMENT BLADES

No.	Weight Per Doz.	List Price	Meter Lengths
Chief	2M	1 Lb.	\$0.50
White Chief	2WM	1 Lb.	.67

Packaged in individual cartons, 6 rules to a box

Catalog Pages 19—20—21—22

*East of the Rocky Mountains—Order from Philadelphia, Pa. - West of the Rocky Mountains—Order from Monrovia, Calif.

DISSTON DIVISION

PORTER

H.K. PORTER COMPANY INC.

PRICES SUBJECT TO CHANGE
WITHOUT NOTICE

PRINTED JUNE, 1951

Philadelphia 35, Pennsylvania

BIG CHIEF LOG SCALES

No.	Measure Logs from	Weight Per Doz.	Each
33101	6-18 ft.	4.0 Lbs.	\$3.17
33102	20-40 ft.	4.0 Lbs.	3.17

REPLACEMENT BLADES

No.	Weight Per Doz.	Each
10L1	1.75 Lbs.	\$1.50
10L2	1.75 Lbs.	.50

Packed in individual cartons, 6 in a box

WHITE CHIEF ENGINEERS RULE

No.	Lgth.	Weight Per Doz.	Each
328TE	8 ft.	3.5 Lbs.	\$1.50
3210TE	10 ft.	3.75 Lbs.	1.63

REPLACEMENT BLADES

No.	Weight Per Doz.	Each
8WTE	1 Lb.	\$0.73
10WTE	1 1/4 Lbs.	.83

Packed in individual cartons, 6 in a box

LIL DEVIL PRINTERS RULE

No.	Lgth.	Weight Per Doz.	Each
24	4 ft.	2.75 Lbs.	\$1.33

REPLACEMENT BLADES

No.	Weight Per Doz.	Each
4A	.75 Lb.	\$0.67
		Packed in individual cartons, 6 in a box

ACCU-RULE

No.	Lgth.	Weight Per Box of 10	Each
426	6'	2.5 Lbs.	\$0.74
428	8'	2.87 Lbs.	.90
4210	10'	3.12 Lbs.	1.10
4310	10'	3.32 Lbs.	1.66
4312	12'	3.62 Lbs.	1.98
		AC-4 Display	\$26.80

REPLACEMENT BLADES

No.	Weight Per Box of 6	Each
6WA	1 Lb.	\$0.43
8WA	1 Lb.	.53
10WA	1.25 Lbs.	.60
10XA	2.00 Lbs.	.83
12XA	2.125 Lbs.	\$1.00

METRIC AND INCHES

No.	Length	Weight Per Doz.	Each
Chief	226ME	6 ft.	3.12 Lbs. 1.07
Chief	228ME	8 ft.	3.25 Lbs. 1.27
White Chief	326ME	6 ft.	3.12 Lbs. 1.33
White Chief	328ME	8 ft.	3.5 Lbs. 1.50

REPLACEMENT BLADES

No.	Weight Per Doz.	List Price	Meter Lengths
6ME	1 Lb.	\$0.50	2 meter—1/2" etch
8ME	1 Lb.	.60	2 1/2 meter—1/2" etch
White Chief	6WME	1 Lb.	.67
White Chief	8WME	1 Lb.	.73
			2 1/2 meter—1/2" white

Packaged in individual cartons, 6 rules to a box

DECIMAL

No.	Length	Weight Per Doz.	Each
White Chief	328D	8 ft.	3.5 Lbs. \$1.64
White Chief	3210D	10 ft.	3.75 Lbs. 1.83

REPLACEMENT BLADES

No.	Weight Per Doz.	Each
White Chief	8WD	1 Lb. \$0.80
White Chief	10WD	1.25 Lb. .90

Packaged in individual cartons, 6 rules to a box

D-23 DAUNTLESS ELECTRIC SABRE SAW

Pkg. 1 to carton, wt. 6 lbs.

\$65.66**D-20 DAGGER ELECTRIC SABRE SAW****\$36.33****EXTRA BLADES**

Part No.	Description	Jobber Price
BP-4829	3" Wood—8 pt.	.27 ea.
BP-4911	4" Wood—7 pt.	.30 ea.
BP-4969	3" Wood—11 pt.	.27 ea.
BP-4970	3" Wood—13 pt.—taper	.83 ea.
BP-4914	2 $\frac{7}{8}$ " Metal—32 teeth	.37 ea.
BP-4971	2 $\frac{7}{8}$ " Metal—14 teeth	.37 ea.
BP-4972	2 $\frac{7}{8}$ " Metal—18 teeth	.37 ea.
BP-5081	2 $\frac{7}{8}$ " Metal—6 teeth	.37 ea.
BP-5027	Knife Blade	.30 ea.

ACCESSORIES

AP-4957	Lubricant	\$0.54 ea.
AP-5102	Tool Box	6.52 ea.
	Standard Packing	
	6 Blades of a Kind	
	6 Blades—Wood Assortment—I-4829, I-4911, I-4969, I-4970, I-5027	
	6 Blades—Metal Assortment—I-4914, I-4971, I-4972, I-5081, I-5027	

Catalog Page 17

D-600 DISCUS ELECTRIC CIRCULAR SAW**\$36.33****D-650 DEFENDER ELECTRIC CIRCULAR SAW****\$46.33****EXTRA BLADES**

Part No.	Description	Jobber Price
PL-6405	AWS	2.07 ea.
CL-6405	AVX	2.07 ea.
CW-6405	AXD	2.07 ea.
PS-6405	AXR	3.51 ea.

ACCESSORIES

4905	Adaptor	\$0.67 ea.
4957	Lubricant	.54 ea.
5086	Rip Fence	1.17 ea.
5288	Thumb Screw	.08 ea.

Catalog Page 21

D-99 DRAGON HEDGE TRIMMER**\$33.00****FARMORE GATE KIT**Wt. Each
24 lbs. Each
\$10.64

Catalog Page 23

See Garden Catalogue and Price Sheet for Additional Garden Tools

DISSTON DIVISION



H.K. PORTER COMPANY INC.

PRICES SUBJECT TO CHANGE
WITHOUT NOTICE

PRINTED JUNE, 1959

Philadelphia 35, Pennsylvania